

Index to volume 10

Author index

A

- Aber RC *see* Marks et al, 627
 Abuabara F *see* Elbaum et al, 267
 Adams RM *see* Mathias and Adams, 454
 Adriaans B, MacKie RM, Turbitt M: Demonstration of α_1 -antitrypsin and α_1 -antichymotrypsin in cutaneous histiocytic lesions and a comparison with lysozyme antibody staining, 673 (Correspondence)
 Ahmed AR *see* Amerian and Ahmed, 215
 Aldrige RD, Main RA, Daly BM: Multicentric reticulohistiocytosis and cancer, 296 (Correspondence)
 Alinovi A *see* Benoldi and Alinovi, 1035
 Allen CM *see* Caserio et al, 294 (Correspondence)
 Amerian ML, Ahmed AR: Pemphigus erythematosus, 215
 Anderson CD, Frödin T, Skogh M: Unusual adverse effects of 8-methoxypsoralen: Bronchial reaction during photochemotherapy (PUVA), 298 (Correspondence)
 Anderson PC: Reply to Klapper M: Condylomata acuminata and hypnosis, 837 (Correspondence)
 Androphy EJ, Lowy DR: Tumor viruses, oncogenes, and human cancer, 125 (Special report)
 Aozasa K *see* Yamamura et al, 796
 Apisarnthanarax P *see* Jorizzo et al, 205
 Arlette JP *see* Fritzler et al, 192
 Arlian LG, Runyan RA, Estes SA: Cross infestivity of *Sarcoptes scabiei*, 979
 — *see* Estes and Arlian, 676 (Correspondence)
 Arndt KA: Argon laser treatment of lentigo maligna, 953
 Arnold HL: Udo Julius Wile, 157 (Epitaph)
 —: American Dermatological Association, 103rd Annual Meeting, Phoenix, AZ, March 18-23, 1983
 —: Reply to Hollander A: Udo Julius Wile, 1072 (Correspondence)
 Ashton RE *see* Lowe et al, 69
 Askari AD: Colchicine for treatment of relapsing polychondritis, 507

B

- Baden HP *see* Kerdel and Baden, 523 (Correspondence)
 — *see* Reed et al, 462
 Baer RL, Stillman MA: Cutaneous skin changes probably due to pyridoxine abuse, 527 (Correspondence)
 Banse-Kupin L, Morales A, Barlow M: Torre's syndrome: Report of two cases and review of the literature, 803
 Baptiste MS, Rothenberg R, Nasca PC, Janerich DT, Stutzman CD, Rimawi, K, O'Brien W, Matuszek J: Health effects associated with exposure to radioactively contaminated gold rings, 1019
 Baranda ML *see* Moncada et al, 970
 Barlow M *see* Banse-Kupin et al, 803

January, pp. 1-162; February, part 1, pp. 163-332; February, part 2, pp. 333-394; March, pp. 395-560; April, pp. 561-710; May, part 1, pp. 711-874; May, part 2, pp. 875-928; June, pp. 929-1108.

- Barr RJ: Cutaneous cytology, 163
 —, Stegman SJ: Delayed skin test reaction to injectable collagen implant (Zyderm), 652
 Bartlett B *see* Commens et al, 768
 Baum C *see* Stern et al, 851 (Special report)
 Behm AR *see* Fritzler et al, 192
 Bennion SD, Patterson JW: Keratosis punctata palmaris et plantaris and adenocarcinoma of the colon, 587
 Benoldi D, Alinovi A: Multiple persistent keratoacanthomas: Treatment with oral etretinate, 1035
 Bernhard JD, Jaenicke K, Momtaz-T K, Parrish JA: Ultraviolet A phototherapy in the prophylaxis of solar urticaria, 29
 — *see* Haynes et al, 947
 Bernstein JE: Reply to Huntley AC: Threshold to suction-induced blister formation in insulin-dependent diabetics, 306 (Correspondence)
 Bertani E *see* Caputo et al, 226
 Berti E *see* Caputo et al, 226
 Beutner EH *see* Jawitz et al, 892
 Bhan AK *see* Lancer et al, 760
 — *see* Muhlbauer et al, 783
 Bickers DR *see* Bronstein et al, 259
 — *see* Woo et al, 592
 Billick RC *see* Garnis et al, 918
 Black MM *see* Holmes et al, 384
 Blumental G: Paronychia and pyogenic granuloma-like lesions with isotretinoin, 677 (Correspondence)
 Bohm M, Voorhees J: White paper on hospitalization for psoriasis care, 842 (Special report)
 Borok M *see* Strick et al, 836, 1067 (Correspondence)
 Borton LK, Wintroub BU: Disseminated cryptococcosis presenting as herpetiform lesions in a homosexual man with acquired immunodeficiency syndrome, 387
 Bozzo PD *see* Schreiber et al, 755
 Brenner S, Yust I: Treatment of scleromyxedema with etretinate, 295 (Correspondence)
 Brenner W *see* Hönigsmann et al, 238
 Bronstein BR *see* Lancer et al, 760
 — *see* Reed et al, 462
 Bronstein SW, Bickers DR, Lamkin BC: Bullous dermatosis caused by *Staphylococcus aureus* in locus minoris resistentiae, 259
 Brooks NA: Curettage and shave excision, 279 (Dermatologic surgery)
 —: Shave excision and plastic molding, 529 (Correspondence)
 Buechner SA *see* Winkelmann et al, 992, 1000
 Buecker JW, Ratz JL, Richfield DF: Histology of port-wine stain treated with carbon dioxide laser, 1014
 Burgdorf WHC *see* Smith and Burgdorf, 106
 Burket DA *see* Burket et al, 922
 Burket JM, Burket BJ, Burket DA: Eyelid cysts, hypodontia, and hypotrichosis, 922
 Burkett BJ *see* Burket et al, 922

C

- Cairns RJ *see* Holmes et al, 384
 Callen JP *see* Woo et al, 592
 Camisa C *see* Hays et al, 619
 Caputo R, Berti E, Monti M, Gasparini G, Bertani E: Letterer-Siwe disease in an octogenarian, 226
 Caro WA *see* Diette et al, 896
 Case PC, Mitchell AJ, Swanson NA, Vanderveen EE, Ellis CN, Headington JT: Topical therapy of alopecia areata with squaric acid dibutylester, 447
 Caserio RJ, Eaglstein WH, Allen CM: Treatment of granuloma annulare with potassium iodide, 294 (Correspondence)
 Castagnoli N *see* Marks et al, 627
 Catalano PM: Mango sap and poison ivy dermatitis, 522 (Correspondence)
 —: Possible interaction of epinephrine with propranolol, 839 (Correspondence)
 Caughman W *see* Muhlbauer et al, 783
 Cavallo T *see* Jorizzo et al, 205
 Chan HL: Observations on drug-induced toxic epidermal necrolysis in Singapore, 973
 Christophers E: Reply to Halprin et al: Buffy coats do not cause inflammation, 1064 (Correspondence)
 Chyu JYH, Hagstrom WJ, Soltani K, Faibisoff B, Whitney DH: Wegener's granulomatosis in childhood: Cutaneous manifestations as the presenting signs, 341
 Cohen IJK: Necrobiosis lipidica and granuloma annulare, 123 (Correspondence)
 Cohen LE: Drug eruption secondary to trazodone: A recently introduced antidepressant, 303 (Correspondence)
 —, Tanner DJ, Schaefer HG, Levis WR: Common and uncommon cutaneous findings in patients with ataxia-telangiectasia, 431
 Cohen MH *see* Haupt et al, 52
 Cohen SR *see* Klein et al, 346
 Comite H *see* Strauss et al, 490
 Commens C, McGeogh A, Bartlett B, Kossard S: Bindii (Jo Jo) dermatitis (*Soliva pterospema* [Compositae]), 768
 Cooper AJ *see* Powell et al, 610
 Cooper PH, Mills SE: Microcystic adnexal carcinoma, 908
 — *see* Reed et al, 110
 — *see* Swerlick and Cooper, 466
 Cooperman L, Michaeli D: The immunogenicity of injectable collagen. I. A 1-year prospective study, 638
 —, —: The immunogenicity of injectable collagen. II. A retrospective review of seventy-two tested and treated patients, 647
 Cox GF *see* Lumpkin et al, 1073 (Correspondence)
 Cullen SI: Reply to Gruber M: Podophyllum versus podophyllin, 303 (Correspondence)

D

- Daly BM *see* Aldridge et al, 296 (Correspondence)
 Daniel CR III, Scher RK: Nail changes secondary to systemic drugs or ingestants, 250 (Clinical review)
 Daniels JC *see* Jorizzo et al, 205
 Davies RE *see* Sambuco et al, 737
 Delzell E *see* Olsen et al, 197
 DeMelfi T *see* Marks et al, 627
 De Villez RL *see* Skasko and De Villez, 299 (Correspondence)
 Diaz-Perez JL *see* Winkelmann et al, 992, 1000

- Dicken CH *see* Venencie and Dicken, 187
 Dickson ER *see* Powell et al, 841 (Correspondence)
 Diette KM, Caro WA, Roenigk HH Jr: Malignant lymphoma presenting with cutaneous granulomas, 896
 Dixon SL *see* Garcia and Dixon, 263
 Domarus H, Stevens PJ: Metastatic basal cell carcinoma, 1043 (Clinical review)
 Doms-Goossens A: Reducing sensitizing potential by pharmaceutical and cosmetic design, 547 (Commentary)
 Doyle JA, Perry HO, Rubin J, Moertel CG: Treatment of psoriasis with *N*-phosphonacetyl-L-aspartate, 21
 Drake RD *see* Guin et al, 45
 Duke HM, Moore JA: Crystal violet stain for Tzanck smears, 298 (Correspondence)
 Dunagin WG: Cutaneous signs of systemic toxicity due to dioxins and related chemicals, 688 (Special report)
 —: Use of dinitrochlorobenzene (DNCB) in therapy of warts, 1069 (Correspondence)

E

- Eaglstein WH *see* Caserio et al, 294 (Correspondence)
 Elbaum DJ, Wood C, Abuabara F, Morhenn VB: Bullae in a patient with toxic shock syndrome, 267
 Elias PM *see* Epstein et al, 866 (Editorial)
 Ellenberg SS *see* Gerber et al, 817
 Ellis CN, Madison KC, Pennes DR, Martel W, Voorhees JJ: Isotretinoin therapy is associated with early skeletal radiographic changes, 1024
 — *see* Case et al, 447
 — *see* Wong and Ellis, 929
 El-On J *see* Weinrauch and El-On, 1066 (Correspondence)
 Eng AM, Furey N: Reply to Aldridge et al: Multicentric reticulohistiocytosis and cancer, 297 (Correspondence)
 Engasser PG: Ochronosis caused by bleaching creams, 1072 (Correspondence)
 English JSC, Roberts DT: Treatment of hyperkeratotic conditions of the legs with tretinate, 1067 (Correspondence)
 Epstein E: Photocopying patient instruction sheets, 301 (Correspondence)
 —: Hand dermatitis: Practical management and current concepts, 395
 Epstein EH Jr, Williams ML, Elias PM: The epidermal cholesterol sulfate cycle, 866 (Editorial)
 Epstein WL *see* Marks et al, 627
 Esterly NB *see* Spraker et al, 365
 Estes SA, Arlian LG: Reply to Van Neste D: Intraepidermal localization of scabies mites overlooked? 676 (Correspondence)
 — *see* Arlian et al, 979
 Everett MA *see* McMillan et al, 457
 Exner JH *see* Strauss et al, 490

F

- Faibisoff B *see* Chyu et al, 341
 Falanga V, Pirozzi DJ: International Symposium on Pediatric Dermatology, Mazara del Vallo, Italy, Sept. 22-25, 1982, 313
 Farber EM, Nall L: An appraisal of measures to prevent and control psoriasis, 511 (Clinical review)
 Farber G *see* Field and Farber, 521 (Correspondence)
 Farmer ER *see* Port and Farmer, 291 (Correspondence)
 Feinstein A, Sofer E, Trau H, Schewach-Millet M: Urticaria and fixed drug eruption in a patient treated with griseofulvin, 915

- Fensom AH *see* Holmes et al, 384
Fialkow PJ *see* Moulton-Levy et al, 986
Field LM, Farber G: Dermabrasion and chemical exfoliation, 521 (Correspondence)
Fields JP *see* Kendall et al, 903
Fields K *see* Halprin et al, 1064 (Correspondence)
Fierer JA *see* Shelley and Fierer, 876
Figueroa LD, Gonzalez JR: Primary inoculation complex of skin by *Mycobacterium chelonae*, 333
Finan MC, Schroeter AL: Cutaneous immunofluorescence study of erythema multiforme: Correlation with light microscopic patterns and etiologic agents, 497
Fitzsimons CP *see* MacKie and Fitzsimons, 118 (Correspondence)
Fleischmajer R *see* Lebwohl et al, 33
Forbes PD *see* Sambuco et al, 737
Fraker DL *see* Kerdel et al, 25
Frankl J *see* Holubar and Frankl, 326 (Epitaph)
Freedman S *see* Gonzalez et al, 958
French SW *see* Schwartz et al, 350
Fritzler MJ, Arlette JP, Behm AR, Kinsella TD: Hereditary hemorrhagic telangiectasia versus CREST syndrome: Can serology aid diagnosis, 192
Frödin T *see* Anderson et al, 298 (Correspondence)
Fulk CS: Primary disorders of hyperpigmentation, 1
Fulton JE Jr, Pay SR, Fulton JE III: Comedogenicity of current therapeutic products, cosmetics, and ingredients in the rabbit ear, 96 (Clinical review)
Fulton JE III *see* Fulton et al, 96
Furey N *see* Eng and Furey, 297 (Correspondence)

G

- Gange RW *see* Haynes et al, 947
Garcia RL, Dixon SL: Occlusion amblyopia secondary to a mixed capillary-cavernous hemangioma, 263
Garnis S, Billick RC, Srolovitz H: Eruptive vascular tumors associated with chronic graft-versus-host disease, 918
Gasiorowski H *see* Strick et al, 836, 1067 (Correspondence)
Gasparini G *see* Caputo et al, 226
Gerber LH, Helfgott RK, Gross EG, Hicks JE, Ellenberg SS, Peck GL: Vertebral abnormalities associated with synthetic retinoid use, 817
Gibbs RC: Dermatologic versus podiatric care of the foot, 119 (Correspondence)
Ginoza M *see* Tagami et al, 615
Glazer SD, Roenigk HH Jr, Yokoo H, Sparberg M, Paravicini U: Ultrastructural survey and tissue analysis of human livers after a 6-month course of etretinate, 632
Glogau RG *see* Tromovitch et al, 273 (Dermatologic surgery)
Goellner JR *see* Powell et al, 610
Goette DK, Lapins NA: Epidermolytic hyperkeratosis as an incidental finding in normal oral mucosa, 246
Goldenhersh MA, Olsen TG: Invasive squamous cell carcinoma initially diagnosed as a giant keratoacanthoma, 372
Goldsmith LA: Reply to Klapper M: Condylomata acuminata and hypnosis, 837 (Correspondence)
Goldstein GD: The Koebner response with eruptive xanthomas, 1064 (Correspondence)
Goldyne ME: Leukotrienes: Clinical significance, 659 (Clinical review)
Golitz LE *see* Howland et al, 438

- Gonzalez E, Montaz-T K, Freedman S: Bilateral comparison of generalized lichen planus treated with psoralens and ultraviolet A, 958
Gonzalez EB *see* Jorizzo et al, 205
Gonzalez JR *see* Figueroa and Gonzalez, 333
González-Amaro R *see* Moncada et al, 970
Gould WM *see* Trozak and Gould, 525 (Correspondence)
Greenstein RA *see* Mann et al, 669 (Correspondence)
Grekin RH: Hawaii Dermatology Seminar, Seventh Annual Seminar, Maui, HI, Feb. 1-6, 1983, 539
—: Sporotrichosis, 233
Griffiths A: Pityriasis rubra pilaris—etiologic considerations, 1086 (Commentary)
Gross EG *see* Gerber et al, 817
Gruber M: Podophyllum versus podophyllin, 302, 521 (Correspondence)
Guin JD: Contact sensitivity to topical corticosteroids, 773
—, Meyer BN, Drake RD, Haffley P: The effect of quenching agents on contact urticaria caused by cinnamic aldehyde, 45
Gulick AW: Erythema multiforme "major" and "minor" versus "majus" and "minus," 120 (Correspondence)

H

- Haberfelde GC *see* Heng et al, 1030
Haffley P *see* Guin et al, 45
Hagstrom WJ *see* Chyu et al, 341
Hakala T *see* Reunala et al, 526 (Correspondence)
Hall RP *see* Yancey et al, 473
Halprin KM: Psoriasis and cancer, 117 (Correspondence)
—, Fields K, Taylor JR: Buffy coats do not cause inflammation, 1064 (Correspondence)
Hammond JM *see* Plourde et al, 887
Hamzavi SLH *see* McMillan et al, 457
Handler HL: Isotretinoin for oral lichen planus, 674 (Correspondence)
Hanifin JM *see* Heskell and Hanifin, 486
Hanno R *see* Woo et al, 592
Harrist TJ *see* Muhlbauer et al, 783
— *see* Rhodes et al, 72
— *see* Rhodes and Harrist, 832 (Current issues)
Haupt HM, Hood AF, Cohen MH: Inflammatory melanoma, 52
Hawkins C *see* Woo et al, 592
Haynes HA, Bernard JD, Gange RW: Actinic reticuloid, 947
— *see* Kerdel et al, 25
Hays SB, Camisa C, Luzar MJ: The coexistence of systemic lupus erythematosus and psoriasis, 619
Headington JT *see* Case et al, 447
Held BL, Nader S, Rodriguez-Rigau LJ, Smith KD, Steinberger E: Acne and hyperandrogenism, 223
Helfgott RK *see* Gerber et al, 817
Helin H *see* Reunala et al, 526 (Correspondence)
Heng MCY, Kloss SG, Haberfelde GC: Pathogenesis of papular urticaria, 1030
Henry JC *see* Jorizzo et al, 205
Heskell NS, Hanifin JM: "Recurrent herpes zoster": An unproved entity, 486
Heymann WR, Lerman JS, Luftschtein S: Naproxen-induced lichen planus, 299 (Correspondence)
Hicks JE *see* Gerber et al, 817
Hogan DJ: Localized granuloma annulare (in an 88-year-old woman), 1068 (Correspondence)
Hollander A: Udo Julius Wile, 1071 (Correspondence)

- Holmes RC, Fensom AH, McKee P, Cairns RJ, Black MM: Angiokeratoma corporis diffusum in a patient with normal enzyme activities, 384
- Holubar K, Frankl J: Joseph Plenck (1735-1807), 326 (Epitaph)
- Hönigsmann H, Brenner W, Rauschmeier W, Konrad K, Wolff K: Photochemotherapy for cutaneous T cell lymphoma, 238
- Hood AF *see* Haupt et al, 52
- Hori Y, Kawashima M, Oohara K, Kukita A: Acquired, bilateral nevus of Ota-like macules, 961
- Horiguchi Y, Takahashi C, Imamura S: Cutaneous metastasis from papillary carcinoma of the thyroid gland, 988
- Horio T: Reply to Caserio et al: Treatment of granuloma annulare with potassium iodide, 294 (Correspondence)
- Howland WW, Golitz LE, Weston WL, Huff JC: Erythema multiforme: Clinical, histopathologic, and immunologic study, 438
- Hudson RD *see* Jorizzo et al, 205
- Huff C: Reply to Gulick AW: Erythema multiforme "major" and "minor" versus "majus" and "minus," 120 (Correspondence)
- : Reply to Sienkiewicz G: Erythema multiforme without skin lesions, 122 (Correspondence)
- , Weston WL, Tonnesen MG: Reply to Yaffee HS: Erythema multiforme major and minor, 523 (Correspondence)
- Huff JC *see* Howland et al, 438
- Huntley AC: Threshold to suction-induced blister formation in insulin-dependent diabetics, 305 (Correspondence)
- I**
- Ichikawa Y *see* Jorizzo et al, 205
- Idemori M *see* Kikuchi et al, 114
- Imaizumi S *see* Tagami et al, 615
- Imamura S *see* Horiguchi et al, 988
- J**
- Jackson CE *see* Moulton-Levy et al, 986
- Jackson I *see* McMillan et al, 457
- Jaenicke K *see* Bernhard et al, 29
- Janerich DT *see* Baptiste et al, 1015
- Janowitz H *see* Lebwohl et al, 33
- Jawitz J, Kumar V, Nigra TP, Beutner EH: Vesicular pemphigoid vs dermatitis herpetiformis, 892
- Jegasothy BV *see* Olsen et al, 197
- Jenkins D, Stewart WD: Reply to Reunala et al: Dermatitis herpetiformis, lymphoma, and gluten-free diet, 527 (Correspondence)
- Jorizzo JL, Hudson RD, Schmalstieg FC, Daniels JC, Apisarnthanarax P, Henry JC, Gonzalez EB, Ichikawa Y, Cavallo T: Behçet's syndrome: Immune regulation, circulating immune complexes, neutrophil migration, and colchicine therapy, 205
- *see* Schmalstieg et al, 362
- K**
- Katz R *see* Mandojana et al, 679 (Gross and microscopic symposium)
- Kawashima M *see* Hori et al, 961
- Kendall ME, Fields JP, King LE Jr: Cutaneous mastocytosis without clinically obvious skin lesions, 903
- Kerdel FA, Baden HP: Subclavian occlusive disease presenting as a painful nail, 523 (Correspondence)
- , Fraker DL, Haynes HA: Necrotizing vasculitis from radiographic contrast media, 25
- Kikuchi I, Ogata K, Idemori M: Vertically growing ectopic nail, 114
- King LE Jr *see* Kendall et al, 903
- Kinsella TD *see* Fritzler et al, 192
- Klapper M: Condylomata acuminata and hypnosis, 836 (Correspondence)
- Klein LE, Cohen SR, Weinstein M: Bullous lichen sclerosus et atrophicus: Treatment by tangential excision, 346
- Kloss SG *see* Heng et al, 1030
- Konecky E *see* Strauss et al, 490
- Konrad K *see* Hönigsmann et al, 238
- Kossard S *see* Commens et al, 768
- Koudsi H *see* Lowe et al, 69
- Kukita A *see* Hori et al, 961
- Kumar V *see* Jawitz et al, 892
- L**
- Lambert WC *see* Schwartz et al, 350
- Lamkin BC *see* Bronstein et al, 259
- Lancer HA, Bronstein BR, Nakagawa H, Bhan AK, Mihm MC Jr: Follicular mucinosis: A detailed morphologic and immunopathologic study, 760
- Lane PR: Usefulness of ampicillin in the treatment of acne vulgaris, 673 (Correspondence)
- Lang PG Jr, Maize JC: Reply to Saurat J-H: Does the bullous eruption of lichen planus pemphigoides recur when the LP relapses, 290 (Correspondence)
- Lange WE: Effectiveness and contamination of iodophors, 1065 (Correspondence)
- Lapins NA *see* Goette and Lapins, 246
- Laur WE: A visit to the Royal Society of Medicine, 674 (Correspondence)
- Lawley TJ *see* Yancey et al, 473
- *see* Yancey and Lawley, 711
- Lebwohl M, Fleischmajer R, Janowitz H, Present D, Prioleau PG: Metastatic Crohn's disease, 33
- Lerman JS *see* Heymann et al, 299 (Correspondence)
- Lever WF, 321 (Contemporaries)
- Levis WR *see* Cohen et al, 431
- Levy HG *see* Moulton-Levy et al, 986
- Levy SB: Comedogenicity of cosmetics, 1072 (Correspondence)
- Lindquist CD: A mixed infection of syphilis and chancroid, 354
- Longcope C *see* Person and Longcope, 235
- Lookingbill DP: Histiocytosis X confined to the skin of the scalp, 968
- : Reply to Savin JA: Generalized pruritus and systemic disease, 672 (Correspondence)
- Loredo C *see* Moncada et al, 970
- Loss B *see* Muhlbauer et al, 783
- Lowe NJ, Ashton RE, Koudsi H, Verschoore M, Schaefer H: Anthralin for psoriasis: Short-contact anthralin therapy compared with topical steroid and conventional anthralin, 69
- Lowy DR *see* Androphy and Lowy, 125
- Luftschien S *see* Heymann et al, 299 (Correspondence)
- Lumpkin LR III, Cox GF, Wolf JE Jr: Leprosy in armadillo handlers, 1073 (Correspondence)
- Luzar MJ *see* Hays et al, 619
- Lyell A: The staphylococcal scalded skin syndrome in historical perspective (9:285-294, 1983), 272 (Correction)
- Lynch PJ *see* Wiles and Lynch, 671 (Correspondence)

- Lynfield YL: Reply to Person JR: Autoimmune anhidrosis, 117 (Correspondence)
—, Schechter S: Choosing and using a vehicle, 56

M

- McBurney EI, Rosen DA: Elevated creatine phosphokinase with isotretinoin, 528 (Correspondence)
McCarthy MA *see* Marks et al, 627
McGeogh A *see* Commens et al, 768
McKee P *see* Holmes et al, 384
MacKie RM, Fitzsimons CP: Reply to Halprin KM: Psoriasis and cancer, 118 (Correspondence)
— *see* Adriaans et al, 673 (Correspondence)
McMillan EM, Peters S, Jackson I, Wasik R, Stoneking L, Everett MA, Hamzavi SLH: Immunoperoxidase examination of cutaneous infiltrates of mycosis fungoides and large-plaque atrophic parapsoriasis with OKT10, 457
Maddox JL Jr, Riordan TP, Odom RB: Pyomyositis in a neonate, 391
Madison KC *see* Ellis et al, 1024
Magnus IA, Young AR: Is psoralen-containing sunscreen tumorigenic in hairless mice? 293 (Correspondence)
Main RA *see* Aldridge et al, 296 (Correspondence)
Maize JC: Dysplastic melanocytic nevi in histologic association with primary cutaneous melanomas, 831 (Current issues)
— *see* Lang and Maize, 290 (Correspondence)
Mandel SL: Michelson, Henry E., M.D., master teacher, exemplary gentleman, 704 (Epitaph)
Mandojana RM, Katz R, Rodman OG: Porokeratosis plantaris dis-creta, 679 (Gross and microscopic symposium)
Mann SC, Walker MM, Messenger GG, Greenstein RA: Leukocytoclastic vasculitis secondary to trazodone treatment, 669 (Correspondence)
Marks JG Jr, DeMelfi T, McCarthy MA, Witte EJ, Castagnoli N, Epstein WL, Aber RC: Dermatitis from cashew nuts, 627
— *see* Plourde et al, 887
Martel W *see* Ellis et al, 1024
Massa MC *see* Powell et al, 610
Mathias CGT, Adams RM: Allergic contact dermatitis from rosin used as soldering flux, 454
Matuszek J *see* Baptiste et al, 1019
Meigel W: Fibrous papules and nevocellular nevi, 670 (Correspondence)
Messenger GG *see* Mann et al, 669 (Correspondence)
Meyer BN *see* Guin et al, 45
Michaeli D *see* Cooperman and Michaeli, 638, 647
Mihm MC Jr *see* Lancer et al, 760
— *see* Muhlbauer et al, 783
Miller MA *see* Shelley and Miller, 1005
Mills SE *see* Cooper and Mills, 908
Mitchell AJ *see* Case et al, 447
Moertel CG *see* Doyle et al, 21
Momeni AZ: Recurrent cutaneous leishmaniasis versus chronic cutaneous leishmaniasis, 836 (Correspondence)
Montaz-T K, Parrish JA: Combination of psoralens and ultraviolet A and ultraviolet B in the treatment of psoriasis vulgaris: A bilateral comparison study, 481
— *see* Bernhard et al, 29
— *see* Gonzalez et al, 958
Moncada B, González-Amaro R, Baranda ML, Loreda C, Urbina R: Immunopathology of polymorphous light eruption, 970

- Monti M *see* Caputo et al, 226
Moon TE *see* Schreiber et al, 755
Moore JA *see* Duke and Moore, 298 (Correspondence)
Mora RG, Nesbitt LT Jr: Reply to Saurat J-H: Does the bullous eruption of lichen planus pemphigoides recur when the LP relapses? 290 (Correspondence)
Morales A *see* Banse-Kupin et al, 803
Morrison VB *see* Elbaum et al, 267
Morison WL, Pike RA: Spectral power distributions of radiation sources used in phototherapy and photochemotherapy, 64
Moscicki RA *see* Muhlbauer et al, 783
Moulton-Levy P, Jackson CE, Levy HG, Fialkow PJ: Multiple cell origin of traumatically induced keloids, 986
Muhlbauer JE, Bhan AK, Harrist TJ, Moscicki RA, Rand R, Caughman W, Loss B, Mihm MC Jr: Immunopathology of pit-yriasis lichenoides acuta, 783
Muller SA *see* Poulin et al, 600
— *see* Powell and Muller, 59

N

- Nader S *see* Held et al, 223
Nakagawa H *see* Lancer et al, 760
Nall L *see* Farber and Nall, 511 (Clinical review)
Nasca PC *see* Baptiste et al, 1019
Nesbitt LT Jr *see* Mora and Nesbitt, 290 (Correspondence)
Nigra TP *see* Jawitz et al, 892
Niimura M *see* Shishiba et al, 744

O

- O'Brien W *see* Baptiste et al, 1019
Odom RB *see* Maddox et al, 391
Ogata K *see* Kikuchi et al, 114
Ohtsuka F *see* Shishiba et al, 744
Okun MR: Reply to Meigel W: Fibrous papules and nevocellular nevi, 670 (Correspondence)
Olsen EA, Delzell E, Jegasothy BV: Second malignancies in cutaneous T cell lymphoma, 197
Olsen TG *see* Goldenhersh and Olsen, 372
Oohara K *see* Hori et al, 961

P

- Paravicini U *see* Glazer et al, 632
Parrish JA *see* Bernhard et al, 29
— *see* Montaz-T and Parrish, 481
Patterson JW: The perforating disorders, 561
— *see* Bennion and Patterson, 587
Pattison EM: Reply to Klapper M: Condylomata acuminata and hyp-nosis, 838 (Correspondence)
Pay SR *see* Fulton et al, 96
Peck GL *see* Gerber et al, 817
Pennes DR *see* Ellis et al, 1024
Penneys NS: Reply to Meigel W: Fibrous papules and nevocellular nevi, 671 (Correspondence)
—: Treatment of lichen sclerosus with potassium para-aminoben-zoate, 1039
Perez-Atayde AR *see* Rhodes et al, 72
Perry HO *see* Doyle et al, 21
— *see* Poulin et al, 600
— *see* Venencie and Perry, 83
Person JR: Autoimmune anhidrosis, 117 (Correspondence)

- , Longcope C: Becker's nevus: An androgen-mediated hyperplasia with increased androgen receptors, 235
- Peters S *see* McMillan et al, 457
- Peterson LL: Hydralazine-induced systemic lupus erythematosus presenting as pyoderma gangrenosum-like ulcers, 379
- , Serrill WS: Lentiginosis associated with a left atrial myxoma, 337
- Pike RA *see* Morison and Pike, 64
- Pirozzi DJ *see* Falanga and Pirozzi, 313
- Plourde PV, Marks JG Jr, Hammond JM: Acanthosis nigricans and insulin resistance, 887
- Pochi PE *see* Strauss et al, 490
- Port M: Dermatologic versus podiatric care of the foot, 119 (Correspondence)
- , Farmer ER: Syringoma of the ankle, 291 (Correspondence)
- Poulin Y, Perry HO, Muller SA: Olmsted syndrome—congenital palmoplantar and periorificial keratoderma, 600
- Powell FC, Cooper AJ, Massa MC, Goellner JR, Su WPD: Sister Mary Joseph's nodule: A clinical and histologic study, 610
- , Muller SA: Psoralens and ultraviolet A therapy of pityriasis lichenoides, 59
- , Rogers RS III, Dickson ER: Reply to Rebora A, Rongioletti F: Lichen planus and chronic active hepatitis, 841 (Correspondence)
- Present D *see* Lebwohl et al, 33
- Pringleau PG *see* Lebwohl et al, 33
- R**
- Ramos FA *see* Vázquez et al, 39
- Rand R *see* Muhlbauer et al, 783
- Rapini RP: Reply to Klapper M: Condylomata acuminata and hypnosis, 837 (Correspondence)
- *see* Strauss et al, 490
- Ratz JL: Carbon dioxide laser treatment of balanitis xerotica obliterans, 925
- *see* Buecker et al, 1014
- *see* Takiguchi and Ratz, 451
- Rauschmeier W *see* Hönigsmann et al, 238
- Rebora A, Rongioletti F: Lichen planus and chronic active hepatitis, 840 (Correspondence)
- Reed CN, Cooper PH, Swerlick RA: Intravascular papillary endothelial hyperplasia, 110
- Reed KM, Bronstein BR, Baden HP: Delayed and persistent cutaneous reactions to coelenterates, 462
- Rees RB: Rees, R.B., M.D., 554 (Contemporaries)
- Reeves JRT: Application techniques of topical preparations, 1071 (Correspondence)
- Reunala T, Hakala T, Helin H: Dermatitis herpetiformis, lymphoma, and gluten-free diet, 526 (Correspondence)
- Rhodes AR, Harrist TJ: Response to Maize JC: Dysplastic melanocytic nevi in histologic association with primary cutaneous melanomas, 832 (Current issues)
- , Silverman RA, Harrist TJ, Perez-Atayde AR: Mucocutaneous lentiginous, cardiocutaneous myxomas, and multiple blue nevi: The "LAMB" syndrome, 72
- Riccardi VM: Neurofibromatosis heterogeneity, 518 (Editorial)
- Richards RN: Reply to Port M; Gibbs RC: Dermatologic versus podiatric care of the foot, 120 (Correspondence)
- : Specific questionnaires in medical practice, 531 (Special article)
- Richfield DF *see* Buecker et al, 1014
- Rimawi K *see* Baptiste et al, 1019
- Riordan TP *see* Maddox et al, 391
- Roberts DT *see* English and Roberts, 1067 (Correspondence)
- Rodman OG *see* Mandojana et al, 679 (Gross and microscopic symposium)
- Rodriguez-Rigau LJ *see* Held et al, 223
- Roenigk HH Jr *see* Diette et al, 896
- *see* Glazer et al, 632
- *see* Rosenbaum and Roenigk, 357
- Rogers RS III *see* Powell et al, 841 (Correspondence)
- Rongioletti F *see* Rebora and Rongioletti, 840 (Correspondence)
- Rosa F *see* Stern et al, 851 (Special report)
- Rosen DA *see* McBurney and Rosen, 528 (Correspondence)
- Rosenbaum MM, Roenigk HH Jr: Treatment of generalized pustular psoriasis with etretinate (Ro 10-9359) and methotrexate, 357
- Rothenberg R *see* Baptiste et al, 1019
- Rubenstein DJ *see* Schwartz et al, 350
- Rubin J *see* Doyle et al, 21
- Runyan RA *see* Arlian et al, 979
- S**
- Salasche SJ: Status of curettage and desiccation in the treatment of primary basal cell carcinoma, 285 (Editorial)
- Sambuco CP, Forbes PD, Davies RE, Urbach F: An animal model to determine sunscreen protectiveness against both vascular injury and epidermal cell damage, 737
- Sánchez JL *see* Vázquez et al, 39
- Sano S *see* Yamamura et al, 796
- Saurat J-H: Does the bullous eruption of lichen planus pemphigoides recur when the LP relapses? 290 (Correspondence)
- Savin JA: Generalized pruritus and systemic disease, 672 (Correspondence)
- Savin RC: Systemic ketoconazole in tinea versicolor: A double-blind evaluation and 1-year follow-up, 824
- Schaefer H *see* Lowe et al, 69
- Schaefer HG *see* Cohen et al, 431
- Schechter S *see* Lynfield and Schechter, 56
- Scher RK: Reply to Shapiro AJ: Nail ridges with oral contraceptive therapy for polycystic ovaries, 307 (Queries)
- *see* Daniel and Scher, 250
- Schewach-Millet M *see* Feinstein et al, 915
- Schmalstieg FC, Jorizzo JL, Tschien J, Subrt P: Basophils in incontinentia pigmenti, 362
- *see* Jorizzo et al, 205
- Schmidt GD *see* Stutzman and Schmidt, 1075 (Editorial)
- Schreiber MM, Moon TE, Bozzo PD: Chronic solar ultraviolet damage associated with malignant melanoma of the skin, 755
- Schroeter AL *see* Finan and Schroeter, 497
- Schwartz RA, French SW, Rubenstein DJ, Lambert WC: Acute neutrophilic dermatosis with diffuse histiocytic lymphoma, 350
- Sebben JE: Reply to Lange WE: Effectiveness and contamination of iodophors, 1065 (Correspondence)
- Serrill WS *see* Peterson and Serrill, 337
- Settipane GA: Adverse reactions to sulfites in drugs and foods, 1077 (Editorial)
- Shalita AR *see* Strauss et al, 490
- Shapiro AJ: Nail ridges with oral contraceptive therapy for polycystic ovaries, 307 (Queries)
- Shelley ED *see* Shelley and Shelley, 623, 905
- Shelley WB, Fierer JA: Focal intravascular coagulation in progressive ascending telangiectasia: Ultrastructural studies of ketoconazole-induced involution of vessels, 876

- , Miller MA: Electron microscopy, histochemistry, and microbiology of bacterial adhesion in trichomycosis axillaris, 1005
—, Shelley ED: Onychoschizia: Scanning electron microscopy, 623
—, —: Urinary tract infection as a cause of lichen planus: Metronidazole therapy, 905
Shishiba T, Niimura M, Ohtsuka F, Tsuru N: Multiple cutaneous neurilemmomas as a skin manifestation of neurilemmomatosis, 744
Shore RN: Reply to Lane PR: Usefulness of ampicillin in the treatment of acne vulgaris, 673 (Correspondence)
Sienkiewicz G: Erythema multiforme without skin lesions, 121 (Correspondence)
Silverman RA *see* Rhodes et al, 72
Skogh M *see* Anderson et al, 298 (Correspondence)
Smith DA, Burgdorf WHC: Universal cutaneous depigmentation following phenytoin-induced toxic epidermal necrolysis, 106
Smith KD *see* Held et al, 223
Smith RG *see* Wilkerson et al, 1070 (Correspondence)
Sofer E *see* Feinstein et al, 915
Soltani K *see* Chyu et al, 341
Sparberg M *see* Glazer et al, 632
Spraker MK, Stack C, Esterly NB: Congenital generalized fibromatosis: A review of the literature and report of a case associated with porencephaly, hemiatrophy, and cutis marmorata telangiectatica congenita, 365
Srolovitz H *see* Garnis et al, 918
Stack C *see* Spraker et al, 365
Stasko T, De Villez RL: Differentiation of murine and scrub typhus, 299 (Correspondence)
Stegman SJ *see* Barr and Stegman, 652
— *see* Tromovitch et al, 273 (Dermatologic surgery)
Steinberger E *see* Held et al, 223
Stern RS: Reply to Cohen LE: Drug eruption secondary to trazodone: A recently introduced antidepressant, 304 (Correspondence)
—, Rosa F, Baum C: Isotretinoin and pregnancy, 851 (Special report)
Stevens PJ *see* Domarus and Stevens, 10 (Clinical review)
Stewart WD *see* Jenkins and Stewart, 527 (Correspondence)
Stillman MA *see* Baer and Stillman, 527 (Correspondence)
Stoneking L *see* McMillan et al, 457
Strauss JS, Rapini RP, Shalita AR, Konecky E, Pochi PE, Comite H, Exner JH: Isotretinoin therapy for acne: Results of a multicenter dose-response study, 490
Strick RA, Borok M, Gasiorowski H: Reply to Momeni AZ: Recurrent cutaneous leishmaniasis versus chronic cutaneous leishmaniasis, 836 (Correspondence)
—, Gasiorowski H, Borok M: Reply to Weinrauch L, El-On J: Recurrent cutaneous leishmaniasis, 1067 (Correspondence)
Stutzman CD, Schmidt GD: Squamous cell carcinoma of the skin associated with radioactive gold rings, 1075 (Editorial)
— *see* Baptiste et al, 1019
Su WPD *see* Powell et al, 610
Subrt P *see* Schmalstieg et al, 362
Swanson NA *see* Case et al, 447
Swerlick RA, Cooper PH: Cheilitis glandularis: A re-evaluation, 466
— *see* Reed et al, 110

T

- Tagami H, Ginoza M, Imaizumi S, Urano-Suehisa S: Successful treatment of chromoblastomycosis with topical heat therapy, 615

- Takahashi C *see* Horiguchi et al, 988
Takiguchi PS, Ratz JL: Bilateral dermatomal neurofibromatosis, 451
Tanner DJ *see* Cohen et al, 431
Taylor JR *see* Halprin et al, 1064 (Correspondence)
Thiers BH: American International Conference on Clinical Dermatology, Second Congress, Copenhagen, Denmark, Sept. 20-24, 1982, 308
—: Articles selected from the nondermatologic literature of interest to dermatologists, 89
Tonnesen MG *see* Huff et al, 523 (Correspondence)
Trau H *see* Feinstein et al, 915
Tromovitch TA, Stegman SJ, Glogau RG: Zyderm collagen: Implantation techniques, 273 (Dermatologic surgery)
Trozak DJ, Gould WM: Cocaine abuse and connective tissue disease, 525 (Correspondence)
Tschen J *see* Schmalstieg et al, 362
Tsuru N *see* Shishiba et al, 744
Turbitt M *see* Adriaans et al, 673 (Correspondence)

U

- Urano-Suehisa S *see* Tagami et al, 615
Urbach F *see* Sambuco et al, 737
Urbina R *see* Moncada et al, 970

V

- Vanderveen EE *see* Case et al, 447
Van Neste D: Intraepidermal localization of scabies mites overlooked? 676 (Correspondence)
—: Preparation of scabies eggs for electron microscopy, 839 (Correspondence)
Vázquez M, Ramos FA, Sánchez JL: Melanomas of vulvar and subungual skin in Puerto Ricans, 39
Venencie PY, Dicken CH: Yellow nail syndrome: Report of five cases, 187
—, Perry HO: Sign of Leser-Trélat: Report of two cases and review of the literature, 83
Verschoore M *see* Lowe et al, 69
Voorhees JJ *see* Bohm and Voorhees, 842 (Special report)
— *see* Ellis et al, 1024
— *see* Woo et al, 592

W

- Wagner RF: Cimetidine and herpes zoster, 1074 (Correspondence)
Walker MM *see* Mann et al, 669 (Correspondence)
Walter JF: Reply to Magnus IA, Young AR: Is psoralen-containing sunscreen tumorigenic in hairless mice? 293 (Correspondence)
Wasik R *see* McMillan et al, 457
Weary PE: An accounting of governmental liaison activities of the American Academy of Dermatology, 1977-1982, 142 (Special report)
—: Do "systemic barriers" improve the quality and efficiency of health care? 287 (Editorial)
Weinrauch L, El-On J: Recurrent cutaneous leishmaniasis, 1066 (Correspondence)
Weinstein M *see* Klein et al, 346
Weston WL *see* Howland et al, 438
— *see* Huff et al, 523 (Correspondence)
Whitney DH *see* Chyu et al, 341
Wiles JC, Lynch PJ: Lichen planus and liver disease, 671 (Correspondence)

Author index

- Wilkerson MG, Wilkin JK, Smith RG: Reply to Dunagin WG: Use of dinitrochlorobenzene (DNCB) in therapy of warts, 1070 (Correspondence)
 Wilkin JK *see* Wilkerson et al, 1070 (Correspondence)
 Williams ML *see* Epstein et al, 866 (Editorial)
 Winkelmann RK, Buechner SA, Diaz-Perez JL: Pre-Sézary syndrome, 992
 —, Diaz-Perez JL, Buechner SA: The treatment of Sézary syndrome, 1000
 Wintroub BU *see* Borton and Wintroub, 387
 Witte EJ *see* Marks et al, 627
 Wolf JE Jr *see* Lumpkin et al, 1073 (Correspondence)
 Wolff K *see* Hönigsmann et al, 238
 Wong RC, Ellis CN: Physiologic skin changes in pregnancy, 929
 Woo TY, Callen JP, Voorhees JJ, Bickers DR, Hanno R, Hawkins C: Cutaneous lesions of dermatomyositis are improved by hydroxychloroquine, 592
 Wood C *see* Elbaum et al, 267

Subject index

A

- Abnormalities, vertebral, associated with synthetic retinoid use (Gerber et al), 817
 Acanthosis nigricans and insulin resistance (Plourde et al), 887
 Acne and hyperandrogenism (Held et al), 223
 isotretinoin therapy for: results of multicenter dose-response study (Strauss et al), 490
 vulgaris, usefulness of ampicillin in treatment of (Lane), 673 (Correspondence)
 reply (Shore), 673 (Correspondence)
 Actinic reticuloid (Haynes et al), 947
 Adenocarcinoma of colon, keratosis punctata palmaris et plantaris and (Bennion and Patterson), 587
 Adenomas, multiple sebaceous, cutaneous marker for visceral carcinomas; Torre's syndrome (Banse-Kupin et al), 803
 Adhesion, bacterial, in trichomycosis axillaris, electron microscopy, histochemistry, and microbiology of (Shelley and Miller), 1005
 Adnexal carcinoma, microcystic (Cooper and Mills), 908
 Allergic contact dermatitis from rosin used as soldering flux (Mathias and Adams), 454
 Alopecia areata, topical therapy of, with squaric acid dibutylester (Case et al), 447
 α_1 -Antitrypsin and α_1 -antichymotrypsin, demonstration of, in cutaneous histiocytic lesions and comparison with lysozyme antibody staining (Adriaens et al), 673 (Correspondence)
 Ambylopia, occlusion, secondary to mixed capillary-cavernous hemangioma (Garcia and Dixon), 263

January, pp. 1-162; February, part 1, pp. 163-332; February, part 2, pp. 333-394; March, pp. 395-560; April, pp. 561-710; May, part 1, pp. 711-874; May, part 2, pp. 875-928; June, pp. 929-1108.

Y

- Yaffee HS: Erythema multiforme major and minor, 522 (Correspondence)
 Yamamura T, Aozasa K, Sano S: The cutaneous lymphomas with convoluted nucleus, 796
 Yancey KB, Hall RP, Lawley TJ: Pruritic urticarial papules and plaques of pregnancy, 473
 —, Lawley TJ: Circulating immune complexes: Their immunochemistry, biology, and detection in selected dermatologic and systemic diseases, 711
 Yip SY: The prevalence of psoriasis in the Mongoloid race, 965
 Yokoo H *see* Glazer et al, 632
 Young AR *see* Magnus and Young, 293 (Correspondence)
 Yust I *see* Brenner and Yust, 295 (Correspondence)

- American Academy of Dermatology, accounting of governmental liaison activities of, 1977-1982 (Weary), 142 (Special report)
 Dermatological Association, 103rd Annual Meeting, Phoenix, AZ, March 18-23, 1983 (Arnold), 855
 International Conference on Clinical Dermatology, Second Congress, Copenhagen, Denmark, Sept. 20-24, 1982 (Thiers), 308
 Ampicillin, usefulness of, in treatment of acne vulgaris (Lane), 673 (Correspondence)
 reply (Shore), 673 (Correspondence)
 Androgen-mediated hyperplasia with increased androgen receptors; Becker's nevus (Person and Longcope), 235
 Angiokeratoma corporis diffusum in patient with normal enzyme activities (Holmes et al), 384
 Anhidrosis, autoimmune (Person), 117 (Correspondence)
 reply (Lynfield), 117 (Correspondence)
 Animal model to determine sunscreen protectiveness against both vascular injury and epidermal cell damage (Sambuco et al), 737
 Ankle, syringoma of (Port and Farmer), 291 (Correspondence)
 Announcements, 51, 180, 538
 Anthralin for psoriasis: short-contact anthralin therapy compared with topical steroid and conventional anthralin (Lowe et al), 69
 Antidepressant, recently introduced; drug eruption secondary to (Cohen), 303
 reply (Stern), 304 (Correspondence)
 trazodone recently introduced; drug eruption secondary to (Cohen), 303 (Correspondence)
 Argon laser treatment of lentigo maligna (Arndt), 953
 Armadillo handlers, leprosy in (Lumpkin et al), 1073 (Correspondence)
 Arthritis, psoriatic, not improved by *N*-phosphonacetyl-L-aspartate therapy (Doyle et al), 21

- Ataxia-telangiectasia, common and uncommon cutaneous findings in patients with (Cohen et al), 431
Autoimmune anhidrosis (Person), 117 (Correspondence)
reply (Lynfield), 117 (Correspondence)

B

- Bacterial adhesion in trichomycosis axillaris, electron microscopy, histochemistry, and microbiology of (Shelley and Miller), 1005
Balanitis xerotica obliterans, carbon dioxide laser treatment of (Ratz), 925
"Barriers, systematic," do they improve quality and efficiency of health care? (Weary), 287 (Editorial)
Basal cell carcinoma, metastatic (Domarus and Stevens), 1043 (Clinical review)
Basophils in incontinentia pigmenti (Schmalstieg et al), 362
Becker's nevus: androgen-mediated hyperplasia with increased androgen receptors (Person and Longcope), 235
Behçet's syndrome: immune regulation, circulating immune complexes, neutrophil migration, and colchicine therapy (Jorizzo et al), 205
Bibliography, annotated, for dermatologists (Thiers), 89
Bindii (Jo Jo) dermatitis (*Soliva pterosperma* [Compositae]), (Commens et al), 768
Bleaching creams, ochronosis caused by (Engasser), 1072 (Correspondence)
Blister formation, suction-induced, threshold to, in insulin-dependent diabetics (Huntley), 305 (Correspondence)
reply (Bernstein), 306 (Correspondence)
Book reviews, 148, 316, 544, 701, 869, 1081
Bronchial reaction during photochemotherapy (PUVA) (Anderson et al), 298 (Correspondence)
Buffy coats do not cause inflammation (Halprin et al), 1064 (Correspondence)
reply (Christophers), 1064 (Correspondence)
Bullae in patient with toxic shock syndrome (Elbaum et al), 267
Bullous eruption of lichen planus pemphigoides, does it recur when LP relapses? (Saurat), 290 (Correspondence)
replies (Mora and Nesbit; Lang and Maize), 290 (Correspondence)
lichen sclerosis et atrophicus: treatment by tangential excision (Klein et al), 346

C

- Café au lait-like lesions in patients with ataxia-telangiectasia (Cohen et al), 431
Cancer Family syndrome, Torre's syndrome genetic condition probably related to (Banse-Kupin et al), 803
human, tumor viruses, and oncogenes (Androphy and Lowy), 125 (Special report)
multicentric reticulohistiocytosis and (Aldrige et al), 296 (Correspondence)
reply (Eng and Furey), 297 (Correspondence)
psoriasis and (Halprin), 117 (Correspondence)
reply (MacKie and Fitzsimons), 118 (Correspondence)
Capillary-cavernous hemangioma, mixed, occlusion amblyopia secondary to (Garcia and Dixon), 263
Carbon dioxide laser, histology of port-wine stain treated with (Buecker et al), 1014
laser treatment of balanitis xerotica obliterans (Ratz), 925

- Carcinomas, inflammatory, lymphatic invasion and gross characteristics in inflammatory melanoma similar to (Haupt et al), 52
invasive squamous cell, initially diagnosed as giant keratoacanthoma (Goldenherst and Olsen), 372
metastatic basal cell (Domarus and Stevens), 1043 (Clinical review)
microcystic adnexal (Cooper and Mills), 908
primary basal cell, status of curettage and desiccation in treatment of (Salasche), 285 (Editorial)
curettage and shave excision effective treatment for (Brooks), 279 (Dermatologic surgery)
squamous cell, of skin, associated with radioactive gold rings (Stutzman and Schmidt), 1075 (Editorial)
of thyroid gland, cutaneous metastasis from papillary carcinoma of (Horiguchi et al), 988
visceral, multiple sebaceous adenoma associated with; Torre's syndrome (Banse-Kupin et al), 803
Cardiomucocutaneous myxomas, mucocutaneous lentigenes, and multiple blue nevi: "LAMB" syndrome (Rhodes et al), 72
Cashew nuts, dermatitis from (Marks et al), 627
Cell-mediated immune mechanisms important in pathogenesis of pityriasis lichenoides et varioliformis acuta (Muhlbauer et al), 783
Chancroid, syphilis, and mixed infection of (Lundquist), 354
Cheilitis, actinic, examples of cheilitis glandularis manifestations of (Swerlick and Cooper), 466
glandularis: re-evaluation (Swerlick and Cooper), 466
Chemical(s) exfoliation, dermabrasion and (Field and Farber), 521 (Correspondence)
related, dioxins and, cutaneous signs of systemic toxicity due to (Dunagin), 688 (Special report)
Chemotherapy, nontoxic, for chronic erythroderma state in patients with Sézary syndrome (Winkelman et al), 992
Chlorambucil and prednisone regimen, low-dose, for treatment of Sézary syndrome (Winkelman et al), 992, 1000
Cholesterol sulfate cycle, epidermal (Epstein et al) 866 (Editorial)
Chromoblastomycosis, successful treatment of, with topical heat therapy (Tagami et al), 615
Cimetidine and herpes zoster (Wagner), 1074 (Correspondence)
Cinnamic aldehyde, effect of quenching agents on contact urticaria caused by (Guin et al), 45
Circulating immune complexes, immune regulation, neutrophil migration, and colchicine therapy; Behçet's syndrome (Jorizzo et al), 205
their immunochemistry, biology, and detection in selected dermatologic and systemic diseases (Yancey and Lawley), 711
Clinical Dermatology, American-International Conference on, Second Congress, Copenhagen, Denmark, Sept. 20-24, 1982 (Thiers), 308
leukotrienes and; leukotrienes; clinical significance (Goldyne), 655 (Clinical review)
Continuing medical examination, 17, 181, 425, 582, 732, 941
answers, 16, 184, 428, 584, 734, 944
Coagulation, focal intravascular, in progressive ascending telangiectasia: ultrastructural studies of ketoconazole-induced involution of vessels (Shelley and Fierer), 876
Cocaine abuse and connective tissue disease (Trozak and Gould), 525 (Correspondence)
Coelenterates, delayed and persistent cutaneous reactions to (Reed et al), 462

- Colchicine therapy, immune regulation, circulating immune complexes, neutrophil migration and; Behçet's syndrome (Jorizzo et al), 205
- for treatment of relapsing polychondritis (Askari), 507
- Collagen, immunogenicity of; retrospective review of seventy-two tested and treated patients (Cooperman and Michaeli), 647
- injectable, immunogenicity of; 1-year prospective study (Cooperman and Michaeli), 638
- Colon, keratosis punctata palmaris et plantaris and adenocarcinoma of (Bennion and Patterson), 587
- Comedogenicity of cosmetics (Levy) 1072 (Correspondence)
- of current therapeutic products, cosmetics, and ingredients in rabbit ear (Fulton et al), 96 (Clinical review)
- Condylomata acuminata and hypnosis (Klapper), 836 (Correspondence)
- replies (Anderson; Rapini; Goldsmith; Pattison), 837, 838 (Correspondence)
- Congenital palmoplantar and periorificial keratoderma; Olfrsted syndrome (Poulin et al), 600
- Connective tissue disease, cocaine abuse and (Trozak and Gould), 525 (Correspondence)
- Contact sensitivity to topical corticosteroids (Guin), 773
- urticaria caused by cinnamic aldehyde, effect of quenching agents on (Guin et al), 45
- Contamination, effectiveness and, of iodophors (Lange), 1065 (Correspondence)
- reply (Sebber), 1065 (Correspondence)
- Contemporaries, 321, 554
- Contraceptive therapy, oral, for polycystic ovaries, nail ridges with (Shapiro), 307 (Queries)
- reply (Scher), 307 (Queries)
- Correction to Lyell A: The staphylococcal scalded skin syndrome in historical perspective (9:285-294, 1983), 272
- Corticoids, appropriate topical, in patients with hand dermatitis (Epstein), 395
- Corticosteroids for control of pemphigus erythematous, requirement of significantly lower doses of (Amerian and Ahmed), 215
- topical, contact sensitivity to (Guin), 773
- Cosmetic(s), comedogenicity of (Levy), 1072 (Correspondence)
- current therapeutic products, and ingredients in rabbit ear, comedogenicity of (Fulton et al), 96 (Clinical review)
- design, pharmaceutical and, reducing sensitizing potential by (Dooms-Goossens), 547 (Commentary)
- Creams, bleaching, ochronosis caused by (Engasser), 1072 (Correspondence)
- Creatine phosphokinase, elevated, with isotretinoin (McBurney and Rosen), 528 (Correspondence)
- CREST syndrome, hereditary hemorrhagic telangiectasia versus: can serology aid diagnosis? (Fritzler et al), 192
- Crohn's disease, metastatic (Lebwohl et al), 33
- Cross infestivity of *Sarcoptes scabiei* (Arlan et al), 979
- Cryptococcosis, disseminated, presenting as herpetiform lesions in homosexual man with acquired immunodeficiency syndrome (Borton and Wintroub), 387
- Crystal violet stain for Tzanck smears (Duke and Moore), 298 (Correspondence)
- Curettage and desiccation, status of, in treatment of primary basal cell carcinoma (Salasche), 285 (Editorial)
- and shave excision (Brooks), 279 (Dermatologic surgery)
- Current issues, 831
- Cutaneous cytology (Barr), 163
- depigmentation, universal, following phenytoin-induced toxic epidermal necrolysis (Smith and Burgdorf), 106
- findings, common and uncommon, in patients with ataxia-telangiectasia (Cohen et al), 431
- histiocytic lesions and comparison with lysozyme antibody staining, demonstration of α_1 -antitrypsin and α_1 -antichymotrypsin in (Adriaans et al), 673 (Correspondence)
- immunofluorescence study of erythema multiforme: correlation with light microscopic patterns and etiologic agents (Finan and Schroeter), 497
- infiltrates of mycosis fungoides and large-plaque atrophic parapsoriasis with OKT10, immunoperoxidase examination of (McMillan et al), 457
- leishmaniasis, recurrent, versus chronic cutaneous leishmaniasis (Momeni), 836 (Correspondence)
- reply (Strick et al), 836 (Correspondence)
- cutaneous (Weinrauch and El-On), 1066 (Correspondence)
- reply (Strick et al), 1067 (Correspondence)
- lesions of dermatomyositis improved by hydroxychloroquine (Woo et al), 592
- lymphomas with convoluted nucleus (Yamamura et al), 796
- metastasis from papillary carcinoma of thyroid gland (Horiguchi et al), 988
- neurilemmomas, multiple, as skin manifestation of neurilemmomatosis (Shishiba et al), 744
- reactions, delayed and persistent, to coelenterates (Reed et al), 462
- signs of systemic toxicity due to dioxins and related chemicals (Dunagin), 688 (Special report)
- skin changes probably due to pyridoxine abuse (Baer and Stillman), 527 (Correspondence)
- T cell lymphoma, second malignancies in (Olsen et al), 197
- photochemotherapy for (Hönigsman et al), 238
- Cutis marmorata telangiectatica, congenital porencephaly, hemiatrophy and, review of literature and report of case of congenital generalized fibromatosis associated with (Spraker et al), 365
- Cytology, cutaneous (Barr), 163

D

- Dapsone important agent for adjuvant therapy in pemphigus erythematous (Amerian and Ahmed), 215
- Depigmentation, universal cutaneous, following phenytoin-induced toxic epidermal necrolysis (Smith and Burgdorf), 106
- Dermabrasion and chemical exfoliation (Field and Farber), 521 (Correspondence)
- Dermatitis, allergic contact, from rosin used as soldering flux (Mathias and Adams), 454
- bindii (Jo Jo) (*Soliva pterosperma* [Compositae]) (Commens et al), 768
- from cashew nuts (Marks et al), 627
- hand: practical management and current concepts (Epstein), 395
- herpetiformis, lymphoma, and gluten-free diet (Reunala et al), 526 (Correspondence)
- reply (Jenkins and Stewart), 527 (Correspondence)
- vesicular pemphigoid vs (Jawitz et al), 892
- poison ivy, Mango sap and (Catalano), 522 (Correspondence)
- Dermatologic and systemic diseases, circulating immune complexes in: their immunochemistry, biology, and detection in (Yancey and Lawley), 711

Dermatologic—cont'd

- versus podiatric care of foot (Port; Gibbs), 119 (Correspondence)
reply (Richards), 120 (Correspondence)
- Dermatology, annotated bibliography for (Thiers), 89
- Clinical, American-International Conference on, Second Congress, Copenhagen, Denmark, Sept. 20-24, 1982 (Thiers), 308
- Pediatric, International Symposium on, Mazara del Vallo, Italy, Sept. 22-25, 1982 (Falanga and Pirozzi), 313
- Seminar, Hawaii, Seventh Annual Seminar, Maui, HI, Feb. 1-6, 1983 (Grekin), 539
- Dermatoma neurofibromatosis, bilateral (Takiguchi and Ratz), 451
- Dermatomyositis, cutaneous lesions of, improved by hydroxychloroquine (Woo et al), 592
- Dermatopathia pigmentosa reticularis, uncommon pigmentary condition; primary disorders of hyperpigmentation (Fulk), 1
- Dermatosis, acute neutrophilic, with diffuse histiocytic lymphoma (Schwartz et al), 350
- bullous, caused by *Staphylococcus aureus* in locus minoris resistentiae (Bronstein et al), 259
- Desiccation, curettage and, status of, in treatment of primary basal cell carcinoma (Salasche), 285 (Editorial)
- Diabetics, insulin-dependent, threshold to suction-induced blister formation in (Huntley), 305 (Correspondence)
reply (Bernstein), 306 (Correspondence)
- Differentiation of murine and scrub typhus (Stasko and De Villez), 299 (Correspondence)
- Dinitrochlorobenzene (DNCB), use of, in therapy of warts (Dunagin), 1069 (Correspondence)
reply (Wilkerson et al), 1070 (Correspondence)
- Dioxins and related chemicals, cutaneous signs of systemic toxicity due to (Dunagin), 688 (Special report)
- Disease(s), metastatic Crohn's (Lebwohl et al), 33
- selected dermatologic and systemic, circulating immune complexes: their immunochemistry, biology, and detection in (Yancey and Lawley), 711
- showing epidermal perforation as histologic feature; perforating disorders (Patterson), 561
- Dose-response study, multicenter, results of; isotretinoin therapy for acne (Strauss et al), 490
- Drug(s) eruption, fixed, urticaria and, in patient treated with griseofulvin (Feinstein et al), 915
- secondary to trazodone: recently introduced antidepressant (Cohen), 303 (Correspondence)
reply (Stern), 304 (Correspondence)
- and foods, adverse reactions to sulfites in (Settipane), 1077 (Editorial)
- induced toxic epidermal necrolysis in Singapore, observations on (Chan), 973
- or ingestants, systemic, nail changes secondary to (Daniel and Scher), 250 (Clinical review)
- Dysplastic melanocytic nevi in histologic association with primary cutaneous melanomas (Maize), 831 (Current issues)
response (Rhodes and Harist), 832 (Current issues)

E

- Ectopic nail, vertically growing (Kikuchi et al), 114
- Editor's note, 875
- Eicosanoids, interactions among leukotrienes and other; leukotrienes: clinical significance (Goldyne), 664 (Clinical review)

- Elastosis perforans serpiginosa; perforating disorders (Patterson), 561
- Electrodesiccation, curettage and, curettage and shave excision used instead for primary carcinomas (Brooks), 279 (Dermatologic surgery)
- Electron microscopy, histochemistry, and microbiology of bacterial adhesion in trichomycosis axillaris (Shelley and Miller), 1005
- preparation of scabies eggs for (Van Neste), 839 (Correspondence)
- scanning; onychoschizia (Shelley and Shelley), 623
- Endothelial hyperplasia, intravascular papillary (Reed et al), 110
- Enzyme activities, normal, angiokeratoma corporis diffusum in patient with (Holmes et al), 384
- Epidermal cell damage, animal model to determine sunscreen protectiveness against both vascular injury and (Sambuco et al), 737
- cholesterol sulfate cycle (Epstein et al), 866 (Editorial)
- Epidermolytic hyperkeratosis as incidental finding in normal oral mucosa (Goette and Lapins), 246
- Epinephrine, possible interaction with propranolol (Catalano), 839 (Correspondence)
- Epitaph, 157, 326, 704
- Erysipelas-like eruption of face in metastatic Crohn's disease (Lebwohl et al), 33
- Erythema multiforme: clinical, histopathologic, and immunologic study (Howland et al), 438
- cutaneous immunofluorescence study of; correlation with light microscopic patterns and etiologic agents (Finan and Schroeter), 497
- "major" and "minor" versus "majus" and "minus" (Gulick), 120 (Correspondence)
reply (Huff), 120 (Correspondence)
- (Yaffee), 522 (Correspondence)
reply (Huff et al), 523 (Correspondence)
- without skin lesions (Sienkiewicz), 121 (Correspondence)
reply (Huff), 122 (Correspondence)
- Erythematous, pemphigus (Amerian and Ahmed), 215
- Erythroderma, eighteen patients with, diagnosed as having pre-Sézary syndrome (Winkelmann et al), 992
- longer survival after diagnosis of; treatment of Sézary syndrome (Winkelmann et al), 1000
- Etreinate, oral, treatment of multiple persistent keratoacanthomas with (Benoldi and Alinovi), 1035
- (Ro 10-9359) and methotrexate, treatment of generalized pustular psoriasis with (Rosenbaum and Roenigk), 357
- treatment of hyperkeratotic conditions of legs with (English and Roberts), 1067 (Correspondence)
- of scleromyxedema with (Brenner and Yust), 295 (Correspondence)
- ultrastructural survey and tissue analysis of human livers after 6-month course of (Glazer et al), 632
- Excision, tangential, treatment of bullous lichen sclerosis et atrophicus by (Klein et al), 346
- Eyelid cysts, hypodontia, and hypotrichosis (Burket et al), 922

F

- Fibromatosis, congenital generalized: review of literature and report of case associated with porencephaly, hemiatrophy, and cutis marmorata telangiectatica congenita (Spraker et al), 365

- Focal intravascular coagulation in progressive ascending telangiectasia: ultrastructural studies of ketoconazole-induced involution of vessels (Shelley and Fierer), 876
- Follicular mucinosis: detailed morphologic and immunopathologic study (Lancer et al), 760
- Foods, drugs and, adverse reactions to sulfites in (Settipane), 1077 (Editorial)
- Foot, dermatologic versus podiatric care of (Port; Gibbs), 119 (Correspondence)
- reply (Richards), 120 (Correspondence)

G

- Genetics, autosomal dominant, most primary hyperpigmentation conditions and syndromes inherited by (Fulk), 1
- Gluten-free diet, dermatitis herpetiformis, and lymphoma (Reunala et al), 526 (Correspondence)
- reply (Jenkins and Stewart), 527 (Correspondence)
- Gold rings, radioactive, squamous cell carcinoma of skin associated with (Stutzman and Schmidt), 1075 (Editorial)
- radioactively contaminated, health effects associated with exposure to (Baptiste et al), 1019
- Governmental liaison activities of American Academy of Dermatology, 1977-1982, accounting of (Weary), 142 (Special report)
- Graft-versus-host disease, eruptive vascular tumors associated with (Garnis et al), 918
- Granuloma annulare, localized (in 88-year-old woman) (Hogan), 1068 (Correspondence)
- and necrobiosis lipoidica (Cohen), 123 (Correspondence)
- treatment of, with potassium iodide (Caserio et al), 294 (Correspondence)
- reply (Horio), 294 (Correspondence)
- cutaneous, malignant lymphoma presenting with (Diette et al), 896
- Granulomatosis, Wegener's, in childhood: cutaneous manifestations as presenting signs (Chyu et al), 341
- Griseofulvin, urticaria and fixed drug eruption in patient treated with (Feinstein et al), 915

H

- Hand dermatitis: practical management and current concepts (Epstein), 395
- Hawaii Dermatology Seminar, Seventh Annual Seminar, Maui, HI, Feb. 1-6, 1983 (Grekin), 539
- Health care, do "systemic barriers" improve quality and efficiency of (Weary), 287 (Editorial)
- effects associated with exposure to radioactively contaminated gold rings (Baptiste et al), 1019
- Heat therapy, topical, successful treatment of chromoblastomycosis with (Tagami et al), 615
- Hemangioma, capillary-cavernous, mixed, occlusion amblyopia secondary to (Garcia and Dixon), 263
- Hemiatrophy, porencephaly, and cutis marmorata telangiectatica congenita, review of literature and report of case of congenital generalized fibromatosis associated with (Spraker et al), 365
- Hemorrhagic telangiectasia, hereditary, versus CREST syndrome: can serology aid diagnosis? (Fritzler et al), 192
- Hepatitis, chronic active, lichen planus and (Rebora and Rongioletti), 840 (Correspondence)
- reply (Powell et al), 841 (Correspondence)

- Hepatosplenomegaly only important systemic involvement in Letterer-Siwe disease in octogenarian (Caputo et al), 226
- Hereditary hemorrhagic telangiectasia versus CREST syndrome: can serology aid diagnosis? (Fritzler et al), 192
- Herpes simplex, recurrent, erythema multiforme occurring following lesion of (Howland et al), 438
- zoster, cimetidine and (Wagner), 1074 (Correspondence)
- "recurrent": unproved entity (Heskel and Hanifin), 486
- Herpetiform lesions in homosexual man with acquired immunodeficiency syndrome, disseminated cryptococcosis presenting as (Borton and Wintroub), 387
- Heterogeneity, neurofibromatosis (Riccardi), 518 (Editorial)
- Hirsutism and acne, women with both, higher serum testosterone levels in (Held et al), 223
- Histiocytosis X confined to skin of scalp (Lookingbill), 968
- Histochemistry, electron microscopy, and microbiology of bacterial adhesion in trichomycosis axillaris (Shelley and Miller), 1005
- Histology of port-wine stain treated with carbon dioxide laser (Buecker et al), 1014
- Homosexual man with acquired immunodeficiency syndrome, disseminated cryptococcosis presenting as herpetiform lesions in (Borton and Wintroub), 387
- Hospitalization for psoriasis care, white paper on (Bohm and Voorhees), 842 (Special report)
- Hydralazine-induced systemic lupus erythematosus presenting as pyoderma gangrenosum-like ulcers (Peterson), 379
- Hydroxychloroquine, cutaneous lesions of dermatomyositis improved by (Woo et al), 592
- Hyperandrogenism, acne and (Held et al), 223
- Hyperkeratosis, epidermolytic, an incidental finding in normal oral mucosa (Goette and Lapins), 246
- Hyperkeratotic conditions of legs, treatment of, with etretinate (English and Roberts), 1067 (Correspondence)
- Hyperpigmentation, primary disorders of (Fulk), 1
- Hyperplasia, androgen-mediated, with increased androgen receptors; Becker's nevus (Person and Longcope), 235
- intravascular papillary endothelial (Reed et al), 110
- of labial salivary glands, cheilitis glandularis attributed to (Swerrick and Cooper), 466
- Hypnosis, condylomata acuminata and (Klapper), 836 (Correspondence)
- replies (Anderson; Rapini; Goldsmith; Pattison), 837, 838 (Correspondence)
- Hypodontia, eyelid cysts, and hypotrichosis (Burket et al), 922

I

- Immune complexes, circulating: their immunochemistry, biology, and detection in selected dermatologic and systemic diseases (Yancey and Lawley), 711
- mechanisms, cell-mediated, important in pathogenesis of pityriasis lichenoides et varioliformis acuta (Muhlbauer et al), 783
- regulation, circulating immune complexes, neutrophil migration, and colchicine therapy; Behçet's syndrome (Jorizzo et al), 205
- Immunocytochemistry and intricate morphometric analysis discussed; cutaneous cytology (Barr), 163
- Immunodeficiency syndrome, acquired, disseminated cryptococcosis presenting as herpetiform lesions in homosexual man with (Borton and Wintroub), 387

Immunofluorescence study, cutaneous, of erythema multiforme: correlation with light microscopic patterns and etiologic agents (Finan and Schroeter), 497

Immunogenicity of injectable collagen; 1-year prospective study (Cooperman and Michaeli), 638
retrospective review of seventy-two tested and treated patients (Cooperman and Michaeli), 647

Immunopathologic study, detailed morphologic and; follicular mucinosis (Lancer et al), 760

Immunopathology of pityriasis lichenoides acuta (Muhlbauer et al), 783
of polymorphous light eruption (Moncada et al), 970

Immunoperoxidase examination of cutaneous infiltrates of mycosis fungoides and large-plaque atrophic parapsoriasis with OKT10 (McMillan et al), 457

Implantation techniques; Zyderm collagen (Tromovitch et al), 273 (Dermatologic surgery)

Incontinentia pigmenti, basophils in (Schmalstieg et al), 362

Infection, mixed, of syphilis and chancroid (Lundquist), 354
urinary tract, as cause of lichen planus: metronidazole therapy (Shelley and Shelley), 905

Infestivity, cross, of *Sarcoptes scabiei* (Arlan et al), 979

Inflammation, buffy coats do not cause (Halprin et al), 1064 (Correspondence)
reply (Christophers), 1064 (Correspondence)

Inflammatory melanoma (Haupt et al), 52

Ingestants or drugs, systemic, nail changes secondary to (Daniel and Scher), 250 (Clinical review)

Ingredients, current therapeutic products, and cosmetics in rabbit ear, comedogenicity of (Fulton et al), 96 (Clinical review)

Injectable collagen implant (Zyderm), delayed skin test reaction to (Barr and Stegman), 652

Injury, prevention of; appraisal of measures to prevent and control psoriasis (Farber and Nall), 511 (Clinical review)

Inoculation complex, primary, of skin by *Mycobacterium chelonae* (Figuerola and González), 333

Instruction sheets, patient, photocopying (Epstein), 301 (Correspondence)

Insulin-dependent diabetes, threshold to suction-induced blister formation in (Huntley), 305 (Correspondence)
reply (Bernstein), 306 (Correspondence)
resistance, acanthosis nigricans and (Plourde et al), 887

International Symposium on Pediatric Dermatology, Mazara del Vallo, Italy, Sept. 22-25, 1982 (Falanga and Pirozzi), 313

Intravascular papillary endothelial hyperplasia (Reed et al), 110

Iodophors, effectiveness and contamination of (Lange), 1065 (Correspondence)
reply (Sebben), 1065 (Correspondence)

Irritants, avoidance of, in patients with hand dermatitis (Epstein), 395

Irritation of lips, chronic, cheilitis glandularis unusual reaction pattern in response to (Swerlick and Cooper), 466

Isotretinoin, adverse effects with (reprint from FDA Drug Bulletin), 519 (Editorial)
elevated creatine phosphokinase with (McBurney and Rosen), 528 (Correspondence)
for oral lichen planus (Handler), 674 (Correspondence)
paronychia and pyogenic granuloma-like lesions with (Blumental), 677 (Correspondence)
and pregnancy (Stern et al), 851 (Special report)

Isotretinoin—cont'd
therapy for acne: results of multicenter dose-response study (Strauss et al), 490
associated with early skeletal radiographic changes (Ellis et al), 1024

K

Keloids, traumatically induced, multiple cell origin of (Moulton-Levy et al), 986

Keratoacanthomas, giant, invasive squamous cell carcinoma initially diagnosed as (Goldenhersh and Olsen), 372
multiple persistent: treatment with oral tretinate (Benoldi and Alinovi), 1035

Keratoderma, congenital palmoplantar and periorificial; Olmsted syndrome (Poulin et al), 600

Keratosis(es), multiple seborrheic, sudden appearance of, possibly related to adenocarcinoma of breast; sign of Leser-Trélat (Venencie and Perry), 83

punctata palmaris et plantaris and adenocarcinoma of colon (Ben-nion and Patterson), 587

Ketoconazole-induced involution of vessels: focal intravascular coagulation in progressive ascending telangiectasia (Shelley and Fierer), 876
systemic, in tinea versicolor: double-blind evaluation and 1-year follow-up (Savin), 824

Koebner response with eruptive xanthomas (Goldstein), 1064 (Correspondence)

Kyrle's disease; perforating disorders (Patterson), 561

L

"LAMB" syndrome; mucocutaneous lentigines, cardiocutaneous myxomas, and multiple blue nevi (Rhodes et al), 72

Laser treatment, argon, of lentigo maligna (Arndt), 953
carbon dioxide, of balanitis xerotica obliterans (Ratz), 925

Leishmaniasis, recurrent cutaneous (Weinrauch and El-On), 1066 (Correspondence)
reply (Strick et al), 1067 (Correspondence)
versus chronic cutaneous leishmaniasis (Momeni), 836 (Correspondence)
reply (Strick et al), 836 (Correspondence)

Lentigines, mucocutaneous, cardiocutaneous myxomas, and multiple blue nevi: "LAMB" syndrome (Rhodes et al), 72

Lentiginosis associated with left atrial myxoma (Peterson and Serrill), 337

Lentigo maligna, argon laser treatment of (Arndt), 953

Leprosy in armadillo handlers (Lumpkin et al), 1073 (Correspondence)

Leser-Trélat, sign of: report of two cases and review of literature (Venencie and Perry), 83

Lesions, skin, clinically obvious, cutaneous mastocytosis without (Kendall et al), 903
erythema multiforme without (Sienkiewicz), 121 (Correspondence)
reply (Huff), 122 (Correspondence)

Letterer-Siwe disease in octogenarian (Caputo et al), 226

Leukocytoclastic vasculitis secondary to trazodone treatment (Mann et al), 669 (Correspondence)

Leukotrienes: clinical significance (Goldyne), 659 (Clinical review)

Lever, Walter F., M.D., 321 (Contemporaries)

- Lichen planus and chronic active hepatitis (Rebora and Rongioletti), 840 (Correspondence)
 reply (Powell et al), 841 (Correspondence)
 generalized, treated with psoralens and ultraviolet A, bilateral comparison of (Gonzalez et al), 958
 and liver disease (Wiles and Lynch), 671 (Correspondence)
 naproxen-induced (Heymann et al), 299 (Correspondence)
 oral, isotretinoin for (Handler), 674 (Correspondence)
 pemphigoides, does bullous eruption of recur when LP relapses? (Saurat), 290 (Correspondence)
 replies (Mora and Nesbit; Lang and Maize), 290 (Correspondence)
 urinary tract infection as cause of: metronidazole therapy (Shelley and Shelley), 905
 sclerosis, treatment of, with potassium para-aminobenzoate (Penneys), 1039
- Light eruption, polymorphous, immunopathology of (Moncada et al), 970
- Liver(s) disease, lichen planus and (Wiles and Lynch), 671 (Correspondence)
 human, ultrastructural survey and tissue analysis of, after 6-month course of etretinate (Glazer et al), 632
- Locus minoris resistentiae, bullous dermatosis caused by *Staphylococcus aureus* in (Bronstein et al), 259
- Lupus erythematosus, hydralazine-induced systemic, presenting as pyoderma gangrenosum-like ulcers (Peterson), 379
 systemic, and psoriasis, coexistence of (Hays et al), 619
- Lymphedema, primary, in yellow nail syndrome (Venencie and Dicken), 187
- Lymphomas, cutaneous T cell, photochemotherapy for (Hönigsmann et al), 238
 second malignancies in (Olsen et al), 197
 with convoluted nucleus (Yamamura et al), 796
 dermatitis herpetiformis, and gluten-free diet (Reunala et al), 526 (Correspondence)
 reply (Jenkins and Stewart), 527 (Correspondence)
 diffuse histiocytic, acute neutrophilic dermatosis with (Schwartz et al), 350
 malignant, presenting with cutaneous granulomas (Diette et al), 896
- Lysozyme antibody staining, demonstration of α_1 -antitrypsin and α_1 -antichymotrypsin in cutaneous histiocytic lesions and comparison with (Adriaans et al), 673 (Correspondence)
- M**
- Macules, acquired, bilateral nevus of Ota-like (Hori et al), 961
- Malignancies, second, in cutaneous T cell lymphoma (Olsen et al), 197
- Malignant lymphoma presenting with cutaneous granulomas (Diette et al), 896
 melanomas, precursors to (National Institutes of Health Consensus Development Conference statement, Oct. 24-26, 1983), 683 (Special report)
- Mango sap and poison ivy dermatitis (Catalano), 522 (Correspondence)
- Mastocytosis, cutaneous, without clinically obvious skin lesions (Kendall et al), 903
- Medical practice, specific questionnaires in (Richards), 531 (Special article)
- Melanocytic nevi, dysplastic, in histologic association with primary cutaneous melanomas (Maize), 831 (Current issues)
 response (Rhodes and Harriest), 832 (Current issues)
- Melanomas, inflammatory (Haupt et al), 52
 primary cutaneous, dysplastic melanocytic nevi in histologic association with (Maize), 831 (Current issues)
 response (Rhodes and Harriest), 832 (Current issues)
 of skin, malignant, chronic solar ultraviolet damage associated with (Schreiber et al), 755
 of vulvar and subungual skin in Puerto Ricans (Vázquez et al), 39
- Menstrual cycles, irregular, higher incidence of, in women complaining of acne (Held et al), 223
- Metastasis, cutaneous, from papillary carcinoma of thyroid gland (Horiguchi et al), 988
- Metastatic basal cell carcinoma (Domarus and Stevens), 1043 (Clinical review)
 Crohn's disease (Lebwohl et al), 33
- Methodretate and etretinate (Ro 10-9359), treatment of generalized pustular psoriasis with (Rosenbaum and Roenigk), 357
- 8-Methoxypsoralen, unusual adverse effects of; bronchial reaction during photochemotherapy (PUVA) (Anderson et al), 298 (Correspondence)
- Metronidazole therapy; urinary tract infection as cause of lichen planus (Shelley and Shelley), 905
- Mice, hairless, is psoralen-containing sunscreen tumorigenic in? (Magnus and Young), 293 (Correspondence)
 reply (Walter), 293 (Correspondence)
- Michelson, Henry E., M.D. (Mandel), 704 (Epitaph)
- Microbiology, electron microscopy, and histochemistry of bacterial adhesion in trichomycosis axillaris (Shelley and Miller) 1005
- Microcystic adnexal carcinoma (Cooper and Mills), 908
- Mongoloid race, prevalence of psoriasis in (Yip), 965
- Morphologic and immunopathologic study; follicular mucinosis (Lancet et al), 760
- Morphometric analysis, intricate, and immunochemistry discussed; cutaneous cytology (Barr), 163
- Mucinosis, follicular: detailed morphologic and immunopathologic study (Lancet et al), 760
- Mucocutaneous lentigines, cardiomucocutaneous myxomas, and multiple blue nevi: the "LAMB" syndrome (Rhodes et al), 72
- Multiforme, erythema, without skin lesions (Sienkiewicz), 121 (Correspondence)
 reply (Huff), 122 (Correspondence)
- Murine and scrub typhus, differentiation of (Stasko and De Ville), 299 (Correspondence)
- Mycobacterium chelonae*, primary inoculation complex of skin by (Figueroa and Gonzalez), 333
- Mycosis fungoides and large-plaque atrophic parapsoriasis, immunoperoxidase examination of cutaneous infiltrates of with OKT10 (McMillan et al), 457
- Myxoma(s), cardiomucocutaneous, mucocutaneous lentigines, and multiple blue nevi: "LAMB" syndrome (Rhodes et al), 72
 left atrial, lentiginosis associated with (Peterson and Serrill), 337
- N**
- Nail changes secondary to systemic drugs or ingestants (Daniel and Scher), 250 (Clinical review)

Nail—cont'd

- painful, subclavian occlusive disease presenting as (Kerdel and Baden), 523 (Correspondence)
- ridges with oral contraceptive therapy for polycystic ovaries (Shapiro), 307 (Queries)
- reply (Scher), 307 (Queries)
- vertically growing ectopic (Kikuchi et al), 114
- Naproxen-induced lichen planus (Heymann et al), 299 (Correspondence)
- Necrobiosis lipoidica and granuloma annulare (Cohen), 123 (Correspondence)
- Necrolysis, drug-induced toxic epidermal, observations on (Chan), 973
- phenytoin-induced toxic epidermal, universal cutaneous depigmentation following (Smith and Burgdorf), 106
- Necrotizing vasculitis from radiographic contrast media (Kerdel et al), 25
- Neonate, pyomyositis in (Maddox et al), 391
- Neurilemmomas, multiple cutaneous, as skin manifestation of neurilemmomatosis (Shishiba et al), 744
- Neurilemmomatosis, multiple cutaneous neurilemmomas as skin manifestation of (Shishiba et al), 744
- Neurofibromatosis, bilateral dermatomal (Takiguchi and Ratz), 451
- heterogeneity (Riccardi), 518 (Editorial)
- Neutrophil migration, immune regulation, circulating immune complexes, and colchicine therapy; Behçet's syndrome (Jorizzo et al), 205
- Nevus(i), Becker's; androgen-mediated hyperplasia with increased androgen receptors (Person and Longcope), 235
- dysplastic melanocytic, in histologic association with primary cutaneous melanomas (Maize), 831 (Current issues)
- response (Rhodes and Hartist), 832 (Current issues)
- multiple blue, mucocutaneous lentigines, and cardiocutaneous myxomas: "LAMB" syndrome (Rhodes et al), 72
- nevocellular, fibrous papules and (Meigel), 670 (Correspondence)
- replies (Okun; Penneys), 670, 671 (Correspondence)
- of Ota-like macules, acquired, bilateral (Hori et al), 961
- Nodule, Sister Mary Joseph's; clinical and histologic study (Powell et al), 610
- Nucleus, convoluted, cutaneous lymphomas with (Yamamura et al), 796

O

- Occlusion amblyopia secondary to mixed capillary-cavernous hemangioma (Garcia and Dixon), 263
- Occlusive disease, subclavian, presenting as painful nail (Kerdel and Baden), 523 (Correspondence)
- Ochronosis caused by bleaching creams (Engasser), 1072 (Correspondence)
- Octogenarian, Letterer-Siwe disease in (Caputo et al), 226
- OKT10, immunoperoxidase examination of cutaneous infiltrates of mycosis fungoides and large-plaque atrophic parapsoriasis with (McMillan et al), 457
- Olmsted syndrome—congenital palmoplantar and periorificial keratoderma (Poulin et al), 600
- Oncogenes, tumor viruses, and human cancer (Androphy and Lowy), 125 (Special report)
- Onychoschizia; scanning electron microscopy (Shelley and Shelley), 623
- Oral mucosa, normal, epidermolytic hyperkeratosis incidental finding in (Goette and Lapins), 246

- Ota, nevus of, -like macules, acquired, bilateral (Hori et al), 961
- Ovaries, polycystic, nail ridges with oral contraceptive therapy for (Shapiro), 307 (Queries)
- Overtreatment, persistence in avoiding; appraisal of measures to prevent and control psoriasis (Farber and Nall), 511 (Clinical review)

P

- Papillary carcinoma of thyroid gland, cutaneous metastasis from (Horiguchi et al), 988
- endothelial hyperplasia, intravascular (Reed et al), 110
- Papular urticaria, pathogenesis of (Heng et al), 1030
- Papules, fibrous, and nevocellular nevi (Meigel) 670 (Correspondence)
- replies (Okun; Penneys), 670, 671 (Correspondence)
- Para-aminobenzoate, potassium, treatment of lichen sclerosus with (Penneys), 1039
- Parapsoriasis, large-plaque atrophic, immunoperoxidase examination of cutaneous infiltrates of mycosis fungoides and, with OKT10 (McMillan et al), 457
- Paronychia and pyogenic granuloma-like lesions with isotretinoin (Blumental), 677 (Correspondence)
- Pathogenesis of papular urticaria (Heng et al), 1030
- Patient instruction sheets, photocopying (Epstein), 301 (Correspondence)
- Pediatric Dermatology, International Symposium on, Mazara del Vallo, Italy, Sept. 22-25, 1982 (Falanga and Pirozzi), 313
- Pemphigoid, vesicular, vs dermatitis herpetiformis (Jawitz et al), 892
- Pemphigus erythematosus (Amerian and Ahmed), 215
- Perforating disorders (Patterson), 561
- Pharmaceutical and cosmetic design, reducing sensitizing potential by (Dooms-Gossens), 547 (Commentary)
- Phenytoin-induced toxic epidermal necrolysis, universal cutaneous depigmentation following (Smith and Burgdorf), 106
- N-Phosphonacetyl-L-aspartate, treatment of psoriasis with (Doyle et al), 21
- Photochemotherapy for cutaneous T cell lymphoma (Hönigsman et al), 238
- Phototherapy and photochemotherapy, spectral power distributions of radiation sources used in (Morison and Pike), 64
- ultraviolet A, in prophylaxis of solar urticaria (Bernhard et al), 29
- Physiologic skin changes in pregnancy (Wong and Ellis), 875
- Pityriasis lichenoides acuta, immunopathology of (Muhlbauer et al), 783
- psoralens and ultraviolet A therapy of (Powell and Muller), 59
- rubra pilaris—etiologic considerations (Griffiths), 1086 (Commentary)
- Plantar lesions; porokeratosis plantaris discreta (Mandojana et al), 679 (Gross and Microscopic Symposium)
- Plenck, Joseph (1735-1807) (Holubar and Frankl), 326 (Epitaph)
- Pneumonia, onset of yellow nail syndrome after episode of (Venencie and Dicken), 187
- Podiatric versus dermatologic care of foot (Port; Gibbs), 119 (Correspondence)
- reply (Richards), 120 (Correspondence)
- Podophyllum versus podophyllin (Gruber), 302, 521 (Correspondence)
- reply (Cullen), 303 (Correspondence)
- Poison ivy dermatitis, Mango sap and (Catalano), 522 (Correspondence)

- Polychondritis, relapsing, colchicine for treatment of (Askari), 507
- Polycystic ovaries, nail ridges with oral contraceptive therapy for (Shapiro), 307 (Queries)
reply (Scher), 307 (Queries)
- Polymorphous light eruption, immunopathology of (Moncada et al), 970
- Porencephaly, hemiatrophy, and cutis marmorata telangiectatica congenita; review of literature and report of case of congenital generalized fibromatosis associated with (Spraker et al), 365
- Porokeratosis plantaris discreta (Mandojana et al), 679 (Gross and Microscopic Symposium)
- Port-wine stain treated with carbon dioxide laser, histology of (Buecker et al), 1014
- Potassium iodide, treatment of granuloma annulare with (Caserio et al), 294 (Correspondence)
reply (Horio), 294 (Correspondence)
- para-aminobenzoate, treatment of lichen sclerosus with (Penneys), 1039
- Precursors to malignant melanoma (National Institutes of Health Consensus Development Conference statement, Oct. 24-26, 1983), 683 (Special report)
- Prednisone and chlorambucil, low-dose regimen for treatment of Sézary syndrome (Winkelman et al), 992, 1000
- Pregnancy, isotretinoin and (Stern et al), 851 (Special report)
physiologic skin changes in (Wong and Ellis), 929
- Primary disorders of hyperpigmentation (Fulk), 1
- Propranolol, possible interaction of epinephrine with (Catalano), 839 (Correspondence)
- Pruritic urticarial papules and plaques of pregnancy (Yancey et al), 473
- Pruritus, generalized, and systemic disease (Savin), 672 (Correspondence)
reply (Lookingbill), 672 (Correspondence)
- Psoralens-containing sunscreen, is it tumorigenic in hairless mice? (Magnus and Young), 293 (Correspondence)
reply (Walter), 293 (Correspondence)
and ultraviolet A, bilateral comparison of generalized lichen planus treated with (Gonzalez et al), 958
(PUVA) in treatment of hand dermatitis (Epstein), 395
therapy of pityriasis lichenoides (Powell and Muller), 59
B, combination of, in treatment of psoriasis vulgaris: bilateral comparison study (Montaz-T and Parrish), 481
- Psoriasis, anthralin for: short-contact anthralin therapy compared with topical steroid and conventional anthralin (Lowe et al), 69
appraisal of measures to prevent and control (Farber and Nall), 511 (Clinical review)
and cancer (Halprin), 117 (Correspondence)
reply (MacKie and Fitzsimons), 118 (Correspondence)
care, white paper on hospitalization for (Bohm and Voorhees), 842 (Special report)
coexistence of systemic lupus erythematosus and (Hays et al), 619
generalized pustular, treatment of, with etretinate (Ro 10-9359) and methotrexate (Rosenbaum and Roenigk), 357
leukotrienes and; leukotrienes: clinical significance (Goldyne), 665 (Clinical review)
prevalence of, in Mongoloid race (Yip), 965
treatment of, with *N*-phosphonacetyl-L-aspartate (Doyle et al), 21
vulgaris, combination of psoralens and ultraviolet A and ultraviolet B in treatment of: bilateral comparison study (Montaz-T and Parrish), 481
- Puerto Ricans, melanomas of vulvar and subungual skin in (Vázquez et al), 39
- PUVA (photochemotherapy), bronchial reaction during (Anderson et al), 298 (Correspondence)
- Pyogenic granuloma-like lesions, paronychia and, with isotretinoin (Blumental), 677 (Correspondence)
- Pyomyositis in neonate (Maddox et al), 391
- Pyridoxine abuse, cutaneous skin changes probably due to (Baer and Stillman), 527 (Correspondence)
- ### Q
- Quenching agents, effect of, on contact urticaria caused by cinnamic aldehyde (Guin et al), 45
- Queries, 307
- Questionnaires, specific, in medical practice (Richards), 531 (Special article)
- ### R
- Radiation sources used in phototherapy and photochemotherapy, spectral power distributions of (Morison and Pike), 64
- Radioactive gold rings, squamous cell carcinoma of skin associated with (Stutzman and Schmidt), 1075 (Editorial)
- Radioactively contaminated gold rings, health effects associated with exposure to (Baptiste et al), 1019
- Radiographic changes, early skeletal, isotretinoin therapy associated with (Ellis et al), 1024
contrast media, necrotizing vasculitis from (Kerdell et al), 25
- Reactions, adverse, to sulfites in drugs and foods (Settipane), 1077 (Editorial)
delayed and persistent cutaneous, to coelenterates (Reed et al), 462
- Reactive perforating collagenosis; perforating disorders (Patterson), 561
- "Recurrent herpes zoster": unproved entity (Heskel and Hanifin), 486
- Rees, Rees B., M.D., 554 (Contemporaries)
- Respiratory tract involvement in yellow nail syndrome (Venencie and Dicken), 187
- Rest periods, pauses or, in course of treatment; appraisal of measures to prevent and control psoriasis (Farber and Nall), 511 (Clinical review)
- Reticulohistiocytosis and cancer, multicentric (Aldrige et al), 296 (Correspondence)
- Reticuloid, actinic (Haynes et al), 947
reply (Eng and Furey), 297 (Correspondence)
- Retinoid use, synthetic, vertebral abnormalities associated with (Gerber et al), 817
- Reviewers for volumes 9 and 10, 1061
- Rings, radioactive gold, squamous cell carcinoma of skin associated with (Stutzman and Schmidt), 1075 (Editorial)
radioactively contaminated gold, health effects associated with exposure to (Baptiste et al), 1019
- Rosin used as soldering flux, allergic contact dermatitis from (Mathias and Adams), 454
- Royal Society of Medicine, visit to (Laur), 674 (Correspondence)
- ### S
- Salivary glands, labial, hyperplasia of, cheilitis glandularis attributed to (Swerlick and Cooper), 466
- Sarcoptes scabiei*, cross infestation of (Arlian et al), 979

- Scabies eggs, preparation of, for electron microscopy (Van Neste), 839 (Correspondence)
mites overlooked; intraepidermal localization of (Van Neste), 676 (Correspondence)
reply (Estes and Arlian), 676 (Correspondence)
- Scalp, skin of, histiocytosis X confined to (Lookingbill), 968
- Scleromyxedema, treatment of, with etretinate (Brenner and Yust), 295 (Correspondence)
- Scrub typhus, murine and, differentiation of (Stasko and De Villez), 299 (Correspondence)
- Seborrheic keratoses, multiple, sudden appearance of, possibly related to adenocarcinoma of breast; sign of Leser-Trélat (Venencie and Perry), 83
- Sensitivity, contact, to topical corticosteroids (Guin), 773
- Sensitizing potential, reducing, by pharmaceutical and cosmetic design (Dooms-Goossens), 547 (Commentary)
- Serum testosterone levels, elevated, related to presence of acne (Held et al), 223
- Sézary, pre- syndrome (Winkelman et al), 992
syndrome, treatment of (Winkelman et al), 1000
- Shave excision, curettage and (Brooks), 279 (Dermatologic surgery) and plastic molding (Brooks), 529 (Correspondence)
- Sister Mary Joseph's nodule: clinical and histologic study (Powell et al), 610
- Skeletal radiographic changes, early, isotretinoin therapy associated with (Ellis et al), 1024
- Skin changes, physiologic, in pregnancy (Wong and Ellis), 929
manifestation of neurilemmomatosis, multiple cutaneous neurilemmomas as (Shisiba et al), 744
of scalp, histiocytosis X confined to (Lookingbill), 968
test reaction to injectable collagen implant (Zyderm) (Barr and Stegman), 652
vulvar and subungual, melanomas of, in Puerto Ricans (Vázquez et al), 39
- Solar ultraviolet damage, chronic, associated with malignant melanoma of skin (Schreiber et al), 755
- Soldering flux, rosin used as, in allergic contact dermatitis (Mathias and Adams), 454
- Soliva pterosperma* (Compositae), (bindii [Jo Jo] dermatitis) (Commens et al), 768
- Spectral power distributions of radiation sources used in phototherapy and photochemotherapy (Morison and Pike), 64
- Sporotrichosis (Grekin), 233
- Sporotrichum schenckii*, two cases of exogenous second infection with; sporotrichosis (Grekin), 233
- Squamous cell carcinoma, invasive, initially diagnosed as giant keratoacanthoma (Goldenherb and Olsen), 372
of skin associated with radioactive gold rings (Stutzman and Schmidt), 1075 (Editorial)
- Squaric acid dibutylester, topical therapy of alopecia areata with (Case et al), 447
- Staphylococcus aureus*, bullous dermatosis caused by, in locus minoris resistentiae (Bronstein et al), 259
- Steroid, topical, and conventional anthralin, short-contact anthralin therapy compared with; anthralin for psoriasis (Lowe et al), 69
- Subclavian occlusive disease presenting as painful nail (Kerdell and Baden), 523 (Correspondence)
- Sulfites in drugs and foods, adverse reactions to (Settipane), 1077 (Editorial)
- Sulfonamide drug, administration of, occurrence of erythema multiforme related to (Howland et al), 438
- Sunscreen, fluorescent, self-application of; choosing and using a vehicle (Lynfield and Schechter), 56
protectiveness, animal model to determine, against both vascular injury and epidermal cell damage (Sambuco et al), 737
psoralen-containing, is it tumorigenic in hairless mice? (Magnus and Young), 293 (Correspondence)
reply (Walter), 293 (Correspondence)
- Synthetic retinoid use, vertebral abnormalities associated with (Gerber et al), 817
- Syphilis and chancroid, mixed infection of (Lundquist), 354
- Syringoma of ankle (Port and Farmer), 291 (Correspondence)
- "Systematic barriers," do they improve quality and efficiency of health care? (Weary), 287 (Editorial)
- Systemic disease(s), dermatologic and, circulating immune complexes: their immunochemistry, biology, and detection in (Yancey and Lawley), 711
generalized pruritus and (Savin), 672 (Correspondence)
reply (Lookingbill), 672 (Correspondence)
- ketoconazole in tinea versicolor: double-blind evaluation and 1-year follow-up (Savin), 824
- lupus erythematosus and psoriasis, coexistence of (Hays et al), 619

T

- T cell, anti-, treatment program for chronic erythroderma state in patients with Sézary syndrome (Winkelman et al), 992
lymphoma, cutaneous, photochemotherapy for (Hönigsmann et al), 238
second malignancies in (Olsen et al), 197
- Telegiectasia, hereditary hemorrhagic, versus CREST syndrome: can serology aid diagnosis? (Fritzel et al), 192
progressive ascending, focal intravascular coagulation in: ultrastructural studies of ketoconazole-induced involution of vessels (Shelley and Frierer), 876
- Therapeutic products, cosmetics, and ingredients in rabbit ear, current therapeutic, comedogenicity of (Fulton et al), 96 (Clinical review)
- Thyroid gland, cutaneous metastasis from papillary carcinoma of (Horiguchi et al), 988
- Tinea versicolor, systemic ketoconazole in: double-blind evaluation and 1-year follow-up (Savin), 824
- Topical corticosteroids, contact sensitivity to (Guin), 773
heat therapy, successful treatment of chromoblastomycosis with (Tagami et al), 615
medication, amount needed to cover body by self-application; choosing and using a vehicle (Lynfield and Schechter), 56
preparations, application techniques of (Reeves), 1071 (Correspondence)
- steroid and conventional anthralin, short-contact anthralin therapy compared with; anthralin for psoriasis (Lowe et al), 69
therapy of alopecia areata with squaric acid dibutylester (Case et al), 447
- Torre's syndrome: report of two cases and review of literature (Banse-Kupin et al), 803

- Toxic epidermal necrolysis, drug-induced, observations on (Chan), 973
 phenytoin-induced, universal cutaneous depigmentation following (Smith and Burgdorf), 106
 shock syndrome, bullae in patient with (Elbaum et al), 267
 Traumatically induced keloids, multiple cell origin of (Moulton-Levy et al), 986
 Trazodone, recently introduced antidepressant, drug eruption secondary to (Cohen), 303 (Correspondence)
 reply (Stern), 304 (Correspondence)
 treatment, leukocytoclastic vasculitis secondary to (Mann et al), 669 (Correspondence)
 Trichomycosis axillaris, electron microscopy, histochemistry, and microbiology of bacterial adhesion in (Shelley and Miller), 1005
 Tumor(s) cytology, sophisticated, and new methodology discussed; cutaneous cytology (Barr), 163
 eruptive vascular, associated with chronic graft-versus-host disease (Garnis et al), 918
 viruses, oncogenes, and human cancer (Androphy and Lowy), 125 (Special report)
 Tzanck smears, crystal violet stain for (Duke and Moore), 298 (Correspondence)

U

- Ulcers, pyoderma gangrenosum-like, hydralazine-induced systemic lupus erythematosus presenting as (Peterson), 379
 Ultrastructural survey and tissue analysis of human livers after 6-month course of etretinate (Glazer et al), 632
 Ultraviolet A phototherapy in prophylaxis of solar urticaria (Bernhard et al), 29
 psoralens and, bilateral comparison of generalized lichen planus treated with (Gonzalez et al), 958
 therapy, psoralens and, of pityriasis lichenoides (Powell and Muller), 59
 and ultraviolet B, combination of psoralens and, in treatment of psoriasis vulgaris: bilateral comparison study (Mometaz-T and Parrish), 481
 damage, chronic solar, associated with malignant melanoma of skin (Schreiber et al), 755
 Urinary tract infection as cause of lichen planus: metronidazole therapy (Shelley and Shelley) 905
 Urticaria(s), contact, caused by cinnamic aldehyde, effect of quenching agents on (Guin et al), 45
 and fixed drug eruption in patient treated with griseofulvin (Feinstein et al), 915
 leukotrienes and; leukotrienes: clinical significance (Goldyne), 665 (Clinical review)
 papular, pathogenesis of (Heng et al), 1030

- Urticaria(s)—cont'd
 solar, ultraviolet A phototherapy in prophylaxis of (Bernhard et al), 29

V

- Vascular injury and epidermal cell damage, animal model to determine sunscreen protectiveness against both (Sambuco et al), 737
 tumors, eruptive, associated with chronic graft-versus-host disease (Garnis et al), 918
 Vasculitis, leukocytoclastic, secondary to trazodone treatment (Mann et al), 669 (Correspondence)
 necrotizing, from radiographic contrast media (Kerdell et al), 25
 Vehicle, choosing and using (Lynfield and Schechter), 56
 Vertebral abnormalities associated with synthetic retinoid use (Gerber et al), 817
 Vesicular pemphigoid vs dermatitis herpetiformis (Jawitz et al), 892
 Virus, recurrent zosteriform herpes simplex, skin infections misdiagnosed as "zoster" or "recurrent zoster" (Heskel and Hanifin), 486
 Vulvar and subungual skin, melanomas of, in Puerto Ricans (Vázquez et al), 39

W

- Warts, use of dinitrochlorobenzene (DNCB) in therapy of (Dunagin), 1069 (Correspondence)
 reply (Wilkerson et al), 1070 (Correspondence)
 Wegener's granulomatosis in childhood: cutaneous manifestations as presenting signs (Chyu et al), 341
 Wile, Udo Julius, 157 (Epitaph)
 (Hollander), 1071 (Correspondence)
 reply (Arnold), 1072 (Correspondence)

X

- Xanthomas, eruptive, Koebner response with (Goldstein), 1064 (Correspondence)

Y

- Yellow nail syndrome: report of five cases, 187 (Venencie and Dicken), 187

Z

- Zyderm (injectable collagen implant), delayed skin test reaction to (Barr and Stegman), 652
 collagen: implantation techniques (Tromovitch et al), 273 (Dermatologic surgery)
 Implant; immunogenicity of injectable collagen (Cooperman and Michaeli), 638; 647

